

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22	Status:	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.126	=	1.136	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.82				=	7.82	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB		
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	26.0				=	26.0	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				<= 100.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	4.3	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						<= 15.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.08				=	0.08	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	3500.0				=	3500.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	14000.0				=	14000.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

<b>Attachments</b>		
Name	Type	Size
August_2022_NPDES_Monitoring_Report.pdf	pdf	5939600.0

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN  
User: PETERSONCR  
Name: Chandler Peterson

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						<	5.0				<	5.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample						=	0.09			=	0.09	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample						<	10.0			<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample						=	540.0			=	540.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI															

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-09-09 08:02 (Time Zone: -04:00)

**Report Last Signed By**

User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-09-09 13:32 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/23
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.438	=	3.063	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.42				=	6.42	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB		
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	36.0				=	36.0	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				<= 100.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	3.6	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						<= 15.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.25				=	0.25	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	3400.0				=	3400.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	11000.0				=	11000.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdsmith.com  
Date/Time: 2022-09-09 08:05 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	9.5				=	9.5	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.								<=	5.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG						Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.09			=	0.09	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG						Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	20.0			=	20.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO						Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	110.0			=	110.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO						Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: peteroncr@cdmsmith.com  
Date/Time: 2022-09-09 08:07 (Time Zone: -04:00)

**Report Last Signed By**  
User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-09-09 13:32 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22
Status:	NetDMR Validated		

**Considerations for Form Completion**  
effective 5 months after 10-1-07.

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.059	=	0.961	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.25				=	7.76	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB		
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	21.7				=	35.0	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	7.9	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.137				=	0.22	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	8611.0				=	43000.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	5944.0				=	15000.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-09-09 08:18 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22	Status:	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	43.5				=	82.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.											Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.34				=	0.36	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	95.0				=	180.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	520.0				=	27000.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-09-09 08:21 (Time Zone: -04:00)

**Report Last Signed By**  
User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-09-09 13:32 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.031	=	0.263	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.84				=	6.84	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB		
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	59.0				=	59.0	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				<= 100.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4.0	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						<= 15.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.27				=	0.27	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	3300.0				=	3300.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	27000.0				=	27000.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-09-09 08:08 (Time Zone: -04:00)

## DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 08/01/22 to 08/31/22	DMR Due Date:	09/15/22
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	14.0				=	14.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG							Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.06				=	0.06	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG							Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	30.0				=	30.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO							Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	380.0				=	380.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO							Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI															

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the August 2022 sampling report attached to 001-A North Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: peteroncr@cdmsmith.com  
Date/Time: 2022-09-09 08:09 (Time Zone: -04:00)

**Report Last Signed By**  
User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-09-09 13:32 (Time Zone: -04:00)