

DMR Copy of Record

Permit																				
Permit #:	MA0000787				Permittee:	MASSPORT AUTHORITY - LOGAN					Facility:	LOGAN INTERNATIONAL AIRPORT								
Major:	No				Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909					Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128								
Permitted Feature:	001 External Outfall				Discharge:	001-A NORTH OUTFALL - STORMWATER														
Report Dates & Status																				
Monitoring Period:	From 03/01/20 to 03/31/20				DMR Due Date:	04/15/20					Status:	NetDMR Validated								
Considerations for Form Completion																				
Principal Executive Officer																				
First Name:					Title:						Telephone:									
Last Name:																				
No Data Indicator (NODI)																				
Form NODI:	--																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.401	=	3.531	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample									<=	100.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG									
					Value NODI						Z - COVID-19									
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<=	15.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample															
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB	
					Value NODI						Z - COVID-19				Z - COVID-19					
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample															
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Value NODI						Z - COVID-19				Z - COVID-19					
61211	Enterococci	1 - Effluent Gross	0	--	Sample															
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB	
					Value NODI						Z - COVID-19				Z - COVID-19					
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample															
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB	
					Value NODI						Z - COVID-19				Z - COVID-19					
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Please see the March 2020 Monthly Sampling Report.																				
Attachments																				
															Name	Type	Size			
															LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41673.0			
															March2020NPDESMonitoringReport.pdf	pdf	132167.0			
Report Last Saved By																				
MASSPORT AUTHORITY - LOGAN																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			
Date/Time:	2020-04-08 07:42 (Time Zone: -04:00)																			
Report Last Signed By																				

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility Location:		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/20	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	17.0				=	17.0	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.05				<	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample					<	10.0				<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					<	10.0				<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:16 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:57 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/21	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.368	=	13.677	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.	>=	6.0 MINIMUM		<=	8.5 MAXIMUM	12 - SU							
					Value NODI		Z - COVID-19			Z - COVID-19								
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG		<=	100.0 DAILY MX	19 - mg/L							
					Value NODI		Z - COVID-19			Z - COVID-19								
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.				<=	15.0 DAILY MX	19 - mg/L							
					Value NODI					Z - COVID-19								
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L							
					Value NODI		Z - COVID-19			Z - COVID-19								
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							
					Value NODI		Z - COVID-19			Z - COVID-19								
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							
					Value NODI		Z - COVID-19			Z - COVID-19								
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							
					Value NODI		Z - COVID-19			Z - COVID-19								

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41673.0

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-08 10:24 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/20	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	22.0				=	22.0	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.05			<	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	10.0			=	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	45.0			=	45.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:19 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:57 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/20	Status:	NetDMR Validated

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.275	=	4.094	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.	>=	6.0 MINIMUM				<=	8.5 MAXIMUM	12 - SU				01/30 - Monthly	GR - GRAB
					Value NODI		Z - COVID-19					Z - COVID-19						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB
					Value NODI		Z - COVID-19					Z - COVID-19						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB
					Value NODI							Z - COVID-19						
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L				01/30 - Monthly	GR - GRAB
					Value NODI		Z - COVID-19					Z - COVID-19						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB
					Value NODI		Z - COVID-19					Z - COVID-19						
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB
					Value NODI		Z - COVID-19					Z - COVID-19						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB
					Value NODI		Z - COVID-19					Z - COVID-19						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41673.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-04-08 10:25 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/20	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	17.0			=	31.0	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample								<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					=	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.06			=	0.07	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	13.0			=	20.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	10.0			=	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:35 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:57 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER		

Report Dates & Status					
Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/20	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.082	=	0.997	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.	>=	6.0 MINIMUM				<=	8.5 MAXIMUM	12 - SU								
					Value NODI		Z - COVID-19					Z - COVID-19									
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.		Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L								
					Value NODI		Z - COVID-19					Z - COVID-19									
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						<=	15.0 DAILY MX	19 - mg/L								
					Value NODI		Z - COVID-19					Z - COVID-19									
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.		Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L								
					Value NODI		Z - COVID-19					Z - COVID-19									
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.		Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L								
					Value NODI		Z - COVID-19					Z - COVID-19									
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.		Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL								
					Value NODI		Z - COVID-19					Z - COVID-19									
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.		Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL								
					Value NODI		Z - COVID-19					Z - COVID-19									

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41673.0

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp
Name:	Rosanne Joyce
E-Mail:	rjoyce@massport.com
Date/Time:	2020-04-08 10:26 (Time Zone: -04:00)

Report Last Signed By

User:	rjoycelsp
-------	-----------

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 03/01/20 to 03/31/20	DMR Due Date:	04/15/20	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	28.0				=	28.0	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.05				<	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample					<	10.0				<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					<	10.0				<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:33 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-04-07 15:57 (Time Zone: -04:00)