This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	01A External Outfall	Discharge:	<b>01A-A</b> NORTH OUTFALL 01A TO WINTHROP BAY		
Report Dates & Status					
Monitoring Period:	From 05/01/25 to 05/31/25	DMR Due Date:	06/15/25	Status:	NetDMR Validated
Considerations for Form Comple	etion				
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					
Form NODI:					

	Parameter	Monitoring Location	Season #	Param. NODI			Qu	antity or Loa	iding				Quality or	Concentration			# of Ex. Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2 Value	ie 2 Qualifier	3 Value 3	Units		
					Sample	=	0.769	=	10.312	03 - MGD							01/30 - Monthly	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - Estimate
00000	1 10W Tate	T Emachic Grood			Value NODI													
					Sample						=	7.57		=	7.57	12 - SU	01/30 - Monthly	GR - Grab
00400	pH	1 - Effluent Gross	0		Permit Req.						>=	6.0 MINIMUM		<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - Grab
00400	pii	1 - Lindent Gloss			Value NODI													
					Sample						<	5.0		<	5.0	19 - mg/L	01/30 - Monthly	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.							Req Mon MO AVG		<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00550	Solius, total suspended	1 - Ellidelit Gloss	U		Value NODI													
					Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - Grab
00556	Oil & Grease	1 - Effluent Gross	0		Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
					Value NODI													
					Sample						<	2.0		<	2.0	28 - ug/L	01/30 - Monthly	GR - Grab
34030	Benzene	1 - Effluent Gross	0		Permit Req.							Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - Grab
04000	Belizene	T Emachi Gross			Value NODI													
					Sample						=	210.0		=	210.0	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
61211	Enterococci	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
01211	Linterococci	1 - Lindent Gloss			Value NODI													
					Sample						=	360.0		=	360.0	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
74055	Coliform, fecal general	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
74033	Comorni, recai general	1 - Lillucht Gloss			Value NODI													

**Submission Note** 

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Permit

**Comments** 

**Attachments** 

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit Permit #: MA0000787 Permittee: MASSPORT AUTHORITY - LOGAN Facility: LOGAN INTERNATIONAL AIRPORT Major: No **Permittee Address:** ONE HARBORSIDE DV., SUITE 200S **Facility Location:** ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128-2909 BOSTON, MA 02128 **Permitted Feature:** 01D Discharge: 01D-A **External Outfall** STORMWATER ASSOCIATED WITH INDUSTRIAL ACTIVITY OUTFALL 01D Report Dates & Status **DMR Due Date: Monitoring Period:** From 05/01/25 to 05/31/25 06/15/25 Status: **NetDMR Validated Considerations for Form Completion Principal Executive Officer First Name:** Title: Telephone: **Last Name:** No Data Indicator (NODI) Form NODI:

	Parameter	Monitoring Location	Season #	Param. NODI			Qı	uantity or Lo	ading				Quality or Co	ncentration			# of Ex. Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier :	2 Value 2	Units	Qualifier 1	Value 1	Qualifier 2 Va	ue 2 Quali	fier 3 Value 3	Units		
					Sample	=	42.0	=	42.0	8D - gal/mo							01/30 - Monthly	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.		Req Mon MO TOTAL		Req Mon DAILY MX	8D - gal/mo							01/30 - Monthly	ES - Estimate
00000	Tiow rate		Ů		Value NODI													
					Sample						=	6.62		=	6.62	12 - SU	01/30 - Monthly	GR - Grab
00400	pH	1 - Effluent Gross	0		Permit Req.							Req Mon MO TOTAL			Req Mon DAILY MX	12 - SU	01/30 - Monthly	GR - Grab
00.00	<b>F</b>	. Lindon Gross			Value NODI													
					Sample						<	0.001		<	0.001	19 - mg/L	01/30 - Monthly	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.							Req Mon MO TOTAL		<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000		. Lindon Gross			Value NODI													
					Sample									<	0.001	19 - mg/L	01/30 - Monthly	GR - Grab
00556	Oil & Grease	1 - Effluent Gross	0		Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
					Value NODI													
					Sample						<	0.001		<	0.001	19 - mg/L	01/30 - Monthly	GR - Grab
34030	Benzene	1 - Effluent Gross	0		Permit Req.							Req Mon MO TOTAL			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
2.000			_		Value NODI													

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

## Attachments

NameTypeSizeMAY\_DMR.pdf9df342768.0

Report Last Saved By

**MASSPORT AUTHORITY - LOGAN** 

User: SARAHRAY

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																						
Permit #	: MA	0000787		Permittee:		MA	SSPORT AUTHOR	RITY - LOGA	N						Fac	ility:		LOGAN II	NTERNA	TION	AL AIRPORT	
Major:	No			Permittee A	Address:		IE HARBORSIDE [ STON, MA 02128-		00S						Fac	ility Location		ONE HAR BOSTON			RIVE, SUITE 200S	
Permitte	ed Feature: 01E	ernal Outfall		Discharge:		<b>01E</b> ST	E- <b>A</b> ORMWATER ASSO	OCIATED WI	TH INDU	STRIAL AC	CTIVITY OU	TFALL 01E										
Report L	Dates & Status																					
Monitori	ing Period: Fro	m 05/01/25 to 05/31/25		DMR Due D	Date:	06/	15/25								Stat	tus:		NetDMR '	Validate	d		
Conside	erations for Form Compl	etion		,																		
Principa	I Executive Officer																					
First Naı	me:			Title:											Tele	ephone:						
Last Nar	me:														ı							
No Data	Indicator (NODI)			ļ																		
Form NO																						
	Parameter	Monitoring Location	Season #	Param. NODI			C	uantity or Loa	ding					Quality o	r Concen	tration			# 0	of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Va	alue 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	U	Inits			
					Sample		42.0	=	42.0		8D - gal/mo										·	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.		Req Mon MO TOTAL		Req Mon [	DAILY MX	8D - gal/mo										01/30 - Monthly	ES - Estimate

	Parameter	Monitoring Location	Season #	Param. NODI			Qı	uantity or Lo	ading				Quality or Co	ncentration			# of Ex. Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier :	2 Value 2	Units	Qualifier 1	Value 1	Qualifier 2 Val	ue 2 Qualific	er 3 Value 3	Units		
					Sample	=	42.0	=	42.0	8D - gal/mo							01/30 - Monthly	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.		Req Mon MO TOTAL		Req Mon DAILY MX	8D - gal/mo							01/30 - Monthly	ES - Estimate
00000	Tiow rate		Ů		Value NODI													
					Sample						=	5.08		=	5.08	12 - SU	01/30 - Monthly	GR - Grab
00400	pH	1 - Effluent Gross	0		Permit Req.							Req Mon MO TOTAL			Req Mon DAILY MX	12 - SU	01/30 - Monthly	GR - Grab
	F		_		Value NODI													
					Sample						<	0.001		<	0.001	19 - mg/L	01/30 - Monthly	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.							Req Mon MO TOTAL		<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000		. Lindon Gross			Value NODI													
					Sample									<	0.001	19 - mg/L	01/30 - Monthly	GR - Grab
00556	Oil & Grease	1 - Effluent Gross	0		Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000	5.1 d 5.15d55	1 Zindoni Gross			Value NODI													
					Sample						<	0.001		<	0.001	19 - mg/L	01/30 - Monthly	GR - Grab
34030	Benzene	1 - Effluent Gross	0		Permit Req.							Req Mon MO TOTAL			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
1.000			_		Value NODI													

# Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

## **Attachments**

Name	Туре	Size
MAY_DMR.pdf	pdf	342768.0

Report Last Saved By

**MASSPORT AUTHORITY - LOGAN** 

User: SARAHRAY

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	02A External Outfall	Discharge:	<b>02A-A</b> WEST OUTFALL 02A		
Report Dates & Status					
Monitoring Period:	From 05/01/25 to 05/31/25	DMR Due Date:	06/15/25	Status:	NetDMR Validated
Considerations for Form Complete	tion				
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					

	Parameter	Monitoring Location	Season #	Param. NODI			Qı	uantity or Loa	nding				Quality or Concentration			# of Ex. Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2 Value 2 Qualifier 3	Value 3	Units		
					Sample	= 2.62	24	=	29.992	03 - MGD						01/30 - Monthly	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.	Red	q Mon MO AVG		Req Mon DAILY MX	03 - MGD						01/30 - Monthly	ES - Estimate
					Value NODI												
					Sample						=	7.69	=	7.69	12 - SU	01/30 - Monthly	GR - Grab
00400	pH	1 - Effluent Gross	0		Permit Req.						>=	6.0 MINIMUM	<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - Grab
	<b>F</b>				Value NODI												
					Sample						=	7.6	=	7.6	19 - mg/L	01/30 - Monthly	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.							Req Mon MO AVG	<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000	contact total daoponada	. Emdon Grood			Value NODI												
					Sample								<	4.0	19 - mg/L	01/30 - Monthly	GR - Grab
00556	Oil & Grease	1 - Effluent Gross	0		Permit Req.								<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000		. Imagin Grees			Value NODI												
					Sample						=	750.0	=	750.0	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
61211	Enterococci	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
0.2					Value NODI												
					Sample						=	3600.0	=	3600.0	30 - MPN/100mL	01/30 - Monthly	GR - Grab
74055	Coliform, fecal general	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO		Req Mon DAILY MX	30 - MPN/100mL	01/30 - Monthly	GR - Grab
550					Value NODI												

#### Submission Note

Form NODI:

**Edit Check Errors** 

No errors.

Comments

Please see the May 2025 monthly sampling report attached to 01A-A - NORTH OUTFALL 01A TO WINTHROP BAY.

**Attachments** 

No attachments.

Report Last Saved By

**MASSPORT AUTHORITY - LOGAN** 

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

1 Office					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	03A External Outfall	Discharge:	03A-A OUTFALL 03A PORTER ST TO BOSTON INNER HARBOR		
Report Dates & Status					
<b>Monitoring Period:</b>	From 05/01/25 to 05/31/25	DMR Due Date:	06/15/25	Status:	NetDMR Validated
Considerations for Form Con	mpletion				
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

	Parameter	Monitoring Location	Season #	Param. NODI			Q	uantity or Loa	ding				Quality or Concentration			# of Ex. Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2 Value 2 Qualifier 3	Value 3	Units		
					Sample	= 0.	528	=	7.023	03 - MGD						01/30 - Monthly	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.	Re	eq Mon MO AVG		Req Mon DAILY MX	03 - MGD						01/30 - Monthly	ES - Estimate
					Value NODI												
					Sample						=	7.82	=	7.82	12 - SU	01/30 - Monthly	GR - Grab
00400	pH	1 - Effluent Gross	0		Permit Req.						>=	6.0 MINIMUM	<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - Grab
	<b>F</b>				Value NODI												
					Sample						<	5.0	<	5.0	19 - mg/L	01/30 - Monthly	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.							Req Mon MO AVG	<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000	contact total daoponada	. Lindon Grood			Value NODI												
					Sample								<	4.0	19 - mg/L	01/30 - Monthly	GR - Grab
00556	Oil & Grease	1 - Effluent Gross	0		Permit Req.								<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - Grab
00000					Value NODI												
					Sample						=	150.0	=	150.0	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
61211	Enterococci	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - Grab
0.2					Value NODI												
					Sample						=	40.0	=	40.0	30 - MPN/100mL	01/30 - Monthly	GR - Grab
74055	Coliform, fecal general	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO		Req Mon DAILY MX	30 - MPN/100mL	01/30 - Monthly	GR - Grab
000	January, 1994, gonorus				Value NODI												

#### **Submission Note**

No Data Indicator (NODI)

Form NODI:

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

Please see the May 2025 monthly sampling report attached to 01A-A - NORTH OUTFALL 01A TO WINTHROP BAY.

Attachments

No attachments.

Report Last Saved By

**MASSPORT AUTHORITY - LOGAN** 

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(I)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

remit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	04A External Outfall	Discharge:	<b>04A-A</b> MAVERICK ST TO BOSTON INNER HARBOR OUTFALL 04A		
Report Dates & Status					
<b>Monitoring Period:</b>	From 05/01/25 to 05/31/25	DMR Due Date:	06/15/25	Status:	NetDMR Validated
Considerations for Form C	ompletion				
Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					
No Data Indicator (NODI)					

	Parameter	Monitoring Location	Season #	Param. NODI			Qu	antity or Loa	ading				Qua	ity or Co	ncentration			# of Ex	. Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
					Sample	=	0.181	-	2.539	03 - MGD									01/30 - Monthly	ES - Estimate
00056	Flow rate	1 - Effluent Gross	0		Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	ES - Estimate
					Value NODI															
					Sample						=	7.61			=	7.61	12 - SU		01/30 - Monthly	GR - Grab
00400	pH	1 - Effluent Gross	0		Permit Req.						>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - Grab
	•				Value NODI															
					Sample						=	17.0			=	17.0	19 - mg/L		01/30 - Monthly	GR - Grab
00530	Solids, total suspended	1 - Effluent Gross	0		Permit Req.							Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - Grab
					Value NODI															
					Sample										<	4.0	19 - mg/L		01/30 - Monthly	GR - Grab
00556	Oil & Grease	1 - Effluent Gross	0		Permit Req.										<=	15.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - Grab
					Value NODI															
					Sample						<	10.0			<	10.0	3Z - CFU/100mL		01/30 - Monthly	GR - Grab
61211	Enterococci	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - Grab
0.2					Value NODI															
					Sample						=	10.0			=	10.0	30 - MPN/100mL		01/30 - Monthly	GR - Grab
74055	Coliform, fecal general	1 - Effluent Gross	0		Permit Req.							Req Mon MOAV GEO				Req Mon DAILY MX	30 - MPN/100mL		01/30 - Monthly	GR - Grab
000					Value NODI															

**Submission Note** 

Form NODI:

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors** 

No errors.

Comments

Please see the May 2025 monthly sampling report attached to 01A-A - NORTH OUTFALL 01A TO WINTHROP BAY.

Attachments

No attachments.

Report Last Saved By

**MASSPORT AUTHORITY - LOGAN**