

H. Ground Access Supporting Documentation

This appendix provides information in support of Chapter 6, *Ground Access*.

H.	Ground Access Supporting Documentation	H-1
H.1	Ground Transportation Ridership	H-2
	Table H-1 Logan Express Bus Service Ridership, 2019, 2022-2024	H-2
	Table H-2 Logan Express Back Bay Service Ridership ¹ , 2019-2024	H-3
	Table H-3 Water Transportation Services Ridership to and from Logan Airport, 2019, 2022-2024	H-4
	Table H-4 Massachusetts Bay Transportation Authority (MBTA) Airport Station Passengers, 2019, 2022-2024	H-4
	Table H-5 Annual Taxi Dispatches (Tickets Sold), 2019, 2022-2024	H-4
H.2	Parking Rates and Availability	H-5
	Table H-6 On-Airport Commercial Parking Rates, Terminal Area Facilities ¹ , 2019, 2022-2024	H-5
	Table H-7 On-Airport Commercial Parking Rates, Economy Parking, 2019, 2022-2024	H-5
	Table H-8 Logan Airport Employee Parking Supply: Number of Spaces	H-5
	Table H-9 Logan Airport Commercial Parking Supply: Number of Spaces	H-7
H.3	Roadways and Vehicle Miles Traveled	H-8
	Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary	H-8
	Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary	H-19
H.4	Existing Traffic Roadway Network	H-54
	Figure H-1 Existing Traffic Roadway Network	H-54

H.1 Ground Transportation Ridership

Table H-1 Logan Express Bus Service Ridership, 2019, 2022-2024

Service Year	Ridership			Percent Change ¹		
	Air Passengers	Employees	Total	Air Passengers	Employees	Total
Framingham						
2019	486,507	129,704	616,211	5.0%	13.6%	6.7%
2022	424,471	89,475	513,946	86.2%	57.0%	80.4%
2023	518,032	112,461	630,493	22.0%	25.7%	22.7%
2024	571,720	114,200	685,920	10.4%	1.5%	8.8%
Braintree						
2019	407,090	413,405	820,495	9.8%	11.2%	10.5%
2022	373,958	350,580	724,538	68.6%	112.7%	87.4%
2023	451,773	259,005	710,778	20.8%	-26.1%	-1.9%
2024	478,844	83,103	561,947	6.0%	-67.9%	-20.9%
Woburn²						
2019	184,031	240,047	424,078	3.2%	5.9%	4.7%
2022	165,419	168,587	334,006	154.9%	280.8%	206.0%
2023	236,465	201,577	438,042	42.9%	19.6%	31.1%
2024	275,177	224,900	500,077	16.4%	11.6%	14.2%
Peabody/Danvers³						
2019	53,635	40,928	94,563	5.5%	7.8%	6.5%
2022 ⁴	55,722	30,332	86,054	N/A	N/A	N/A
2023	87,927	41,912	129,839	57.8%	38.2%	50.9%
2024	105,422	42,629	148,051	19.9%	1.7%	14.0%

Table H-1 Logan Express Bus Service Ridership, 2019, 2022-2024

Service Year	Ridership			Percent Change ¹		
	Air Passengers	Employees	Total	Air Passengers	Employees	Total
Total System Ridership⁵						
2019	1,131,263	824,084	1,955,347	6.4%	9.8%	7.8%
2022	1,055,215	638,974	1,694,189	94.8%	140.2%	117.0%
2023	1,496,388	810,614	2,307,002	41.8%	26.9%	36.2%
2024	1,664,913	918,527	2,583,440	11.3%	13.3%	12.0%

Source: Massport, 2025.

Notes:

N/A Not applicable.

1 Percent change represents the difference from year to year. Negative values indicate a decrease from the previous year.

2 Woburn Express moved from Mishawum Station to the Anderson Regional Transportation Center (ARTC) in Woburn in May 2001.

3 Service moved to Danvers as of August 6th, 2024.

4 Peabody Logan Express service was suspended from March 2020 to February 2022.

5 Total system ridership reflects the ridership on the suburban Logan Express locations.

Table H-2 Logan Express Back Bay Service Ridership¹, 2019-2024

Service Year	Ridership	Percent Change ²
2019	250,477	111.1%
2020 ³	54,040	-
2021 ³	N/A	-
2022 ³	35,645	-
2023	202,191	467.2%
2024	233,750	15.6%

Source: Massport, 2025.

Notes: Back Bay Logan Express service commenced in April 2014.

N/A Data not available.

1 Only total ridership is available (not distinguished between airport customers and employees).

2 Percent change represents the difference from year to year. Negative values indicate a decrease from the previous year.

3 Back Bay Logan Express service was suspended from March 2020 to October 2022.

Table H-3 Water Transportation Services Ridership to and from Logan Airport, 2019, 2022-2024

Service Year	Private Water Taxi (on-demand)	Harbor Express (Hingham-Hull-Boston Logan) ¹	Winthrop-Quincy ²	Total
2019	61,071	7,467	N/A	68,538
2022	23,214	5,613	N/A	28,827
2023	16,800	28,946	1,106	46,852
2024	10,469	32,116	1,725	44,310

Source: Massport, 2025.

Notes:

N/A Data not available.

1 Service to Quincy was discontinued in 2013 and now operates between Hingham/Hull/Boston (Long Wharf)/Logan.

2 Data not available before 2023.

Table H-4 Massachusetts Bay Transportation Authority (MBTA) Airport Station Passengers, 2019, 2022-2024

Year	Entrances	Percent Change ¹
2019	1,635,147	-28.8%
2022	1,754,144	28.9%
2023	2,265,657	29.2%
2024	2,295,089	1.3%

Source: MBTA, 2025.

Notes: Data counts for Logan Airport bound (turnstile exits) is not available.

1 Percent change represents the difference from year to year. Negative values indicate a decrease from the previous year.

Table H-5 Annual Taxi Dispatches (Tickets Sold), 2019, 2022-2024

Year	Total (yearly tickets sold)	Percent Change ¹
2019	1,573,627	-7.3%
2022	985,197	87.4%
2023	1,037,085	5.3%
2024	1,069,557	3.1%

Source: Massport, 2025.

Notes:

1 Percent change represents the difference from year to year. Negative values indicate a decrease from the previous year.

H.2 Parking Rates and Availability

Table H-6 On-Airport Commercial Parking Rates, Terminal Area Facilities¹, 2019, 2022-2024

Duration	2019	2022	2023	2024
0 minutes to 1 hour	\$8	\$8	\$9	\$9
1 to 2 hours	\$21	\$21	\$23	\$23
2 to 3 hours	\$26	\$26	\$28	\$28
3 to 4 hours	\$30	\$30	\$32	\$32
4 to 7 hours	\$34	\$34	\$36	\$36
7 to 24 hours (Daily)	\$38	\$38	\$41	\$41
Additional days 0 to 6 hours	\$19	\$19	\$21	\$21
Additional day(s) 6 to 24 hours	\$38	\$38	\$41	\$41

Source: Massport, 2025.

Notes:

1 Central/West Parking Garage, Terminal B Garage, Terminal E Lots

Table H-7 On-Airport Commercial Parking Rates, Economy Parking, 2019, 2022-2024

Duration	2019	2022	2023	2024
Daily Rate	\$29	\$29	\$32	\$32
Additional days 0 to 6 hours	\$15	\$15	\$16	\$16
Additional days 6 to 24 hours	\$29	\$29	\$32	\$32
Weekly Rate (6-7 days)	N/A	N/A	N/A	N/A

Source: Massport, 2025.

Notes:

N/A Data not available. Weekly rates not offered.

Table H-8 Logan Airport Employee Parking Supply: Number of Spaces

Location	Mar 2019	Oct 2019	Mar 2022	Sept 2022	Mar 2023	Sept 2023	Mar 2024	Sept 2024
Terminal Area	865	901	894	894	998	998	998	943
North Service Area	876	833	701	701	701	701	700	700
Southwest Service Area	16	16	12	12	12	12	12	12

Table H-8 Logan Airport Employee Parking Supply: Number of Spaces

Location	Mar 2019	Oct 2019	Mar 2022	Sept 2022	Mar 2023	Sept 2023	Mar 2024	Sept 2024
South Service Area	665	695	649	649	649	649	649	649
Airside (Fire/Rescue)	0	0	0	0	0	0	0	0
Total spaces in service	2,422	2,445	2,256	2,256	2,360	2,360	2,359	2,304
Total spaces out of service	26	3	192	192	88	88	89	144
Total employee spaces	2,448	2,448	2,448	2,448	2,448	2,448	2,448	2,448

Source: Logan Airport Parking Space Inventory submitted to Massachusetts Department of Environmental Protection (MassDEP), March and September 2014-2024 (September 2017 was revised in October 2017).

Table H-9 Logan Airport Commercial Parking Supply: Number of Spaces

Location	Mar 2019	Sept 2019	Mar 2022	Sept 2022	Mar 2023	Sept 2023	Mar 2024	Sept 2024
Terminal Area								
Central Garage and West Garage	11,954	10,964	11,093	11,093	11,287	11,287	11,287	11,287
Terminal B Garage	2,212	2,212	2,212	2,212	1,998	1,998	1,998	1,998
Terminal E Lot 1	237	237	0	0	0	0	0	0
Terminal E Lot 2	249	203	0	0	0	0	0	0
Terminal E Lot 3 (Gulf Lot)	217	93	0	0	0	0	0	0
Signature (General Aviation)	35	35	35	35	35	35	35	35
Logan Airport Hilton	235	63	110	110	110	110	110	110
North Service Area								
Economy Garage	2,864	2,864	2,864	2,864	2,756	2,756	2,756	2,756
South Service Area								
Harborside Hyatt Conference Center and Hotel	270	270	270	270	270	270	270	270
Southwest Service Area								
Overflow Red Lot (Tomahawk Dr.)	0	100	0	0	0	0	0	0
Totals								
In-Service Revenue Spaces	17,733	16,673	16,169	16,169	16,041	16,041	16,041	16,041
Spaces In-Service ¹	18,273	17,041	16,584	16,584	16,456	16,456	16,456	16,456
Spaces Out of Service	5,367	6,599	7,056	7,056	7,184	7,184	7,184	7,184
Commercial Spaces	23,640	23,640	23,640	23,640	23,640	23,640	23,640	23,640

Source: Logan Airport Parking Space Inventory submitted to MassDEP, March and September 2014-2024 (September 2017 was revised in October 2017).

Notes: Blue and Green lots were removed as they are no longer used as of 2021.

1 Total spaces in service includes Signature (General Aviation), Logan Airport Hilton, Harborside Hyatt Conference Center and Hotel, and overflow lots (Overflow Green Lot, Overflow Red Lot, etc.).

H.3 Roadways and Vehicle Miles Traveled

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
1	344	27	1,087	1,334	9,566	21,633	71	87	623	1,410
2	496	30	593	728	5,221	11,806	56	68	490	1,109
3	1,347	18	557	684	4,905	11,092	142	175	1,251	2,830
4	1,166	28	976	1,198	8,591	19,428	216	265	1,897	4,290
5	378	26	1,534	1,883	13,503	30,536	110	135	967	2,188
6	441	13	678	832	5,966	13,492	57	70	498	1,127
7	896	32	856	1,051	7,537	17,044	145	178	1,280	2,894
8	644	29	1,264	1,552	11,130	25,168	154	189	1,359	3,072
9	1,214	20	607	745	5,342	12,081	140	171	1,228	2,777
10	1,303	27	654	803	5,758	13,022	161	198	1,421	3,214
11	421	25	415	510	3,657	8,271	33	41	292	660
12	236	25	105	129	925	2,092	5	6	41	93
13	1,311	22	105	129	925	2,092	26	32	230	519
14	750	28	1,680	2,062	14,787	33,439	239	293	2,100	4,750
15	441	30	1,120	1,375	9,860	22,298	94	115	823	1,862
17	644	5	523	642	4,604	10,411	64	78	561	1,269
18	354	29	656	805	5,773	13,054	44	54	387	875
20	94	15	384	471	3,378	7,638	7	8	60	136
21	877	5	29	35	251	568	5	6	42	94
22	79	19	29	35	251	568	0	1	4	8
24	79	5	20	24	172	389	0	0	3	6
25	87	9	29	35	251	568	0	1	4	9
26	209	9	29	35	251	568	1	1	10	23
27	187	5	20	24	172	389	1	1	6	14
28	124	5	48	59	423	957	1	1	10	23

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
29	226	26	144	177	1,269	2,870	6	8	54	123
30	1,070	5	148	182	1,305	2,951	30	37	264	598
31	385	32	95	117	839	1,897	7	9	61	138
32	516	31	49	60	430	973	5	6	42	95
34	181	30	66	81	581	1,314	2	3	20	45
35	248	31	115	141	1,011	2,287	5	7	47	107
36	89	30	66	81	581	1,314	1	1	10	22
37	102	31	49	60	430	973	1	1	8	19
38	110	31	82	101	724	1,638	2	2	15	34
39	219	29	21	26	186	422	1	1	8	17
40	232	8	28	34	244	551	1	1	11	24
41	177	27	6	7	50	114	0	0	2	4
42	205	27	7	8	57	130	0	0	2	5
43	597	31	20	25	179	405	2	3	20	46
44	587	31	49	60	430	973	5	7	48	108
45	96	32	47	58	416	941	1	1	8	17
46	112	15	3	4	29	65	0	0	1	1
47	859	26	5	6	43	97	1	1	7	16
48	94	15	254	312	2,237	5,060	5	6	40	90
49	420	27	259	318	2,280	5,157	21	25	182	411
50	353	33	3	4	29	65	0	0	2	4
51	717	27	261	321	2,302	5,206	35	44	313	707
52	403	33	241	296	2,123	4,800	18	23	162	366
53	321	33	3	4	29	65	0	0	2	4
54	612	28	245	301	2,158	4,881	28	35	250	566
55	194	27	389	478	3,428	7,752	14	18	126	284
60	331	27	434	533	3,822	8,644	27	33	239	541
61	224	5	33	40	287	649	1	2	12	27

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
62	218	19	129	158	1,133	2,562	5	7	47	106
63	242	23	3	4	29	65	0	0	1	3
64	232	5	37	46	330	746	2	2	15	33
65	593	27	530	651	4,668	10,557	60	73	525	1,186
66	465	23	6	7	50	114	1	1	4	10
67	483	25	33	41	294	665	3	4	27	61
90	582	8	373	458	3,284	7,427	41	50	362	819
103	85	30	10	12	86	195	0	0	1	3
107	260	20	231	284	2,037	4,606	11	14	100	227
108	389	26	182	224	1,606	3,633	13	17	118	268
109	114	14	99	122	875	1,978	2	3	19	43
110	169	5	100	123	882	1,995	3	4	28	64
111	261	6	14	17	122	276	1	1	6	14
112	237	28	86	105	753	1,703	4	5	34	77
113	565	10	110	135	968	2,189	12	14	104	234
114	609	30	110	135	968	2,189	13	16	112	252
115	451	19	241	296	2,123	4,800	21	25	181	410
116	399	17	28	34	244	551	2	3	18	42
117	283	17	152	187	1,341	3,033	8	10	72	163
118	295	19	337	414	2,969	6,714	19	23	166	375
119	240	13	151	185	1,327	3,000	7	8	60	136
120	365	31	161	198	1,420	3,211	11	14	98	222
121	356	17	195	239	1,714	3,876	13	16	116	261
122	486	15	112	137	982	2,222	10	13	90	204
123	486	18	128	157	1,126	2,546	12	14	104	234
124	280	28	80	98	703	1,589	4	5	37	84
125	280	22	90	111	796	1,800	5	6	42	95

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
126	631	20	232	285	2,044	4,622	28	34	244	552
127	652	26	182	224	1,606	3,633	22	28	198	449
128	257	31	39	48	344	778	2	2	17	38
129	257	17	30	37	265	600	1	2	13	29
131	493	14	10	12	86	195	1	1	8	18
132	361	21	251	308	2,209	4,995	17	21	151	341
133	236	27	177	217	1,556	3,519	8	10	70	157
134	1,521	23	357	438	3,141	7,103	103	126	905	2,046
135	1,542	27	165	202	1,449	3,276	48	59	423	957
137	354	23	5	6	43	97	0	0	3	7
138	225	23	5	6	43	97	0	0	2	4
139	96	23	5	6	43	97	0	0	1	2
140	295	27	165	203	1,456	3,292	9	11	81	184
142	257	25	356	437	3,134	7,087	17	21	152	344
144	1,129	25	160	197	1,413	3,195	34	42	302	683
145	195	11	70	86	617	1,395	3	3	23	52
146	463	11	71	87	624	1,411	6	8	55	124
147	230	11	98	120	861	1,946	4	5	38	85
148	834	32	229	281	2,015	4,557	36	44	318	720
149	661	25	160	197	1,413	3,195	20	25	177	400
150	281	25	160	197	1,413	3,195	9	10	75	170
151	360	25	160	196	1,406	3,178	11	13	96	217
155	258	16	90	111	796	1,800	4	5	39	88
156	645	15	27	33	237	535	3	4	29	65
157	218	25	64	79	567	1,281	3	3	23	53
158	185	19	312	383	2,747	6,211	11	13	96	218

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
159	354	31	376	462	3,313	7,492	25	31	222	503
161	94	5	27	33	237	535	0	1	4	10
163	66	5	27	33	237	535	0	0	3	7
168	380	5	9	11	79	178	1	1	6	13
169	293	33	9	11	79	178	1	1	4	10
170	439	14	498	611	4,382	9,908	41	51	365	824
174	502	11	138	170	1,219	2,757	13	16	116	262
175	640	30	171	210	1,506	3,406	21	25	183	413
176	319	29	679	834	5,981	13,525	41	50	361	816
177	286	30	679	834	5,981	13,525	37	45	324	733
178	353	32	541	664	4,762	10,768	36	44	319	721
179	348	30	171	210	1,506	3,406	11	14	99	224
180	366	20	778	955	6,848	15,487	54	66	475	1,073
181	453	5	121	148	1,061	2,400	10	13	91	206
182	119	5	130	160	1,147	2,595	3	4	26	58
183	50	5	121	148	1,061	2,400	1	1	10	23
184	54	5	81	99	710	1,605	1	1	7	16
185	62	5	81	99	710	1,605	1	1	8	19
186	39	5	117	144	1,033	2,335	1	1	8	17
187	338	13	10	12	86	195	1	1	6	12
190	148	12	10	12	86	195	0	0	2	5
192	540	5	37	45	323	730	4	5	33	75
193	138	14	169	208	1,492	3,373	4	5	39	88
194	932	16	108	133	954	2,157	19	23	168	381
195	79	11	39	48	344	778	1	1	5	12
196	49	19	99	122	875	1,978	1	1	8	18

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
197	83	13	138	170	1,219	2,757	2	3	19	44
198	692	13	134	165	1,183	2,676	18	22	155	351
199	70	16	115	141	1,011	2,287	2	2	13	30
204	519	18	116	143	1,025	2,319	11	14	101	228
205	71	16	312	383	2,747	6,211	4	5	37	84
206	135	16	312	383	2,747	6,211	8	10	70	159
207	859	11	565	693	4,970	11,238	92	113	808	1,828
208	284	10	437	537	3,851	8,708	24	29	207	468
211	390	20	1,008	1,238	8,878	20,076	74	91	655	1,482
212	402	20	1,008	1,237	8,871	20,060	77	94	676	1,528
213	1,344	5	1,121	1,376	9,867	22,314	285	350	2,512	5,682
214	449	31	1,303	1,599	11,467	25,931	111	136	975	2,204
215	1,110	13	76	93	667	1,508	16	20	140	317
216	1,211	31	602	739	5,299	11,984	138	170	1,216	2,749
217	1,050	28	139	171	1,226	2,773	28	34	244	551
218	581	32	640	786	5,636	12,746	70	86	620	1,402
219	1,063	32	462	567	4,066	9,195	93	114	819	1,852
220	415	32	561	689	4,941	11,173	44	54	388	878
221	39	32	99	122	875	1,978	1	1	6	15
222	1,920	32	3	4	29	65	1	1	11	24
223	1,564	32	1,101	1,351	9,688	21,909	326	400	2,869	6,489
224	377	29	404	496	3,557	8,043	29	35	254	575
225	551	29	192	236	1,692	3,827	20	25	177	399
226	788	32	196	241	1,728	3,908	29	36	258	583
227	1,303	32	309	379	2,718	6,146	76	94	671	1,516
228	580	29	1,007	1,236	8,863	20,044	111	136	974	2,203

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
229	1,653	29	504	619	4,439	10,038	158	194	1,390	3,142
230	2,058	30	503	617	4,425	10,006	196	240	1,725	3,900
231	1,300	20	486	597	4,281	9,681	120	147	1,054	2,383
232	736	26	811	996	7,142	16,152	113	139	995	2,251
233	488	29	503	617	4,425	10,006	46	57	409	925
234	449	30	364	447	3,205	7,249	31	38	273	616
235	310	16	171	210	1,506	3,406	10	12	88	200
236	310	8	193	237	1,700	3,843	11	14	100	226
237	105	5	192	236	1,692	3,827	4	5	34	76
239	186	20	138	169	1,212	2,741	5	6	43	96
240	145	22	74	91	653	1,476	2	3	18	41
241	578	22	212	260	1,864	4,216	23	28	204	462
245	48	20	208	255	1,829	4,135	2	2	16	37
246	175	20	208	255	1,829	4,135	7	8	61	137
247	65	8	60	74	531	1,200	1	1	7	15
248	39	20	268	329	2,359	5,335	2	2	17	39
249	128	20	268	329	2,359	5,335	6	8	57	129
250	484	20	259	318	2,280	5,157	24	29	209	473
254	51	5	268	329	2,359	5,335	3	3	23	51
255	290	27	60	74	531	1,200	3	4	29	66
256	377	27	84	103	739	1,670	6	7	53	119
257	215	27	60	74	531	1,200	2	3	22	49
258	321	22	7	8	57	130	0	0	3	8
259	203	22	42	52	373	843	2	2	14	32
260	362	22	48	59	423	957	3	4	29	66
261	219	23	17	21	151	341	1	1	6	14

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
262	218	8	8	10	72	162	0	0	3	7
263	69	27	13	16	115	259	0	0	2	3
265	2,458	28	73	90	645	1,460	34	42	300	680
266	752	28	314	385	2,761	6,243	45	55	393	889
267	1,323	28	450	553	3,966	8,968	113	139	993	2,246
268	1,252	29	301	370	2,653	6,000	71	88	629	1,422
269	302	14	20	24	172	389	1	1	10	22
270	1,005	19	369	453	3,249	7,346	70	86	618	1,398
271	954	15	384	471	3,378	7,638	69	85	610	1,380
272	656	24	558	685	4,912	11,108	69	85	610	1,380
273	485	8	592	727	5,213	11,790	54	67	479	1,083
274	1,244	27	316	388	2,782	6,292	74	91	655	1,482
275	419	22	205	252	1,807	4,087	16	20	143	324
276	649	27	306	376	2,696	6,097	38	46	331	749
277	2,473	18	81	99	710	1,605	38	46	333	752
278	573	30	260	319	2,288	5,173	28	35	248	562
279	458	21	386	474	3,399	7,687	33	41	295	666
280	295	26	325	399	2,861	6,470	18	22	160	362
281	440	20	301	370	2,653	6,000	25	31	221	500
282	76	20	164	201	1,441	3,260	2	3	21	47
283	697	20	472	579	4,152	9,389	62	76	548	1,239
284	690	18	330	405	2,904	6,568	43	53	379	858
285	91	18	332	408	2,926	6,616	6	7	50	114
286	464	18	503	618	4,432	10,022	44	54	390	881
287	229	23	492	604	4,331	9,795	21	26	188	425
288	500	9	492	604	4,331	9,795	47	57	410	927

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
290	488	28	1,455	1,786	12,808	28,963	134	165	1,183	2,675
291	494	30	578	709	5,084	11,498	54	66	476	1,076
292	689	30	877	1,077	7,723	17,465	114	140	1,007	2,278
293	325	29	1,159	1,423	10,204	23,076	71	88	628	1,421
294	396	20	233	286	2,051	4,638	17	21	154	348
295	1,017	30	925	1,136	8,146	18,422	178	219	1,569	3,549
296	162	11	283	348	2,496	5,643	9	11	77	173
297	140	11	283	348	2,496	5,643	8	9	66	149
298	1,119	12	230	282	2,022	4,573	49	60	428	969
299	1,036	24	201	247	1,771	4,006	39	48	348	786
300	518	20	57	70	502	1,135	6	7	49	111
301	749	5	125	154	1,104	2,497	18	22	157	354
302	652	13	233	286	2,051	4,638	29	35	253	573
303	547	5	156	192	1,377	3,114	16	20	143	322
304	406	5	47	58	416	941	4	4	32	72
305	442	5	11	13	93	211	1	1	8	18
306	207	12	57	70	502	1,135	2	3	20	45
307	70	13	213	262	1,879	4,249	3	3	25	56
309	281	5	43	53	380	859	2	3	20	46
310	879	32	230	282	2,022	4,573	38	47	337	761
311	211	31	234	287	2,058	4,654	9	11	82	186
312	549	31	230	282	2,022	4,573	24	29	210	476
314	879	18	230	282	2,022	4,573	38	47	337	761
316	933	12	143	175	1,255	2,838	25	31	222	502
317	572	14	318	390	2,797	6,325	34	42	303	686
318	606	5	913	1,121	8,039	18,179	105	129	923	2,087

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
319	267	5	297	365	2,617	5,919	15	18	133	300
320	286	19	415	510	3,657	8,271	22	28	198	448
321	549	13	406	498	3,571	8,076	42	52	371	840
322	407	11	107	131	939	2,124	8	10	72	164
323	418	12	101	124	889	2,011	8	10	70	159
324	310	5	310	381	2,732	6,179	18	22	161	363
325	491	7	308	378	2,711	6,130	29	35	252	570
326	555	5	297	365	2,617	5,919	31	38	275	623
327	864	7	288	354	2,539	5,741	47	58	415	939
328	798	8	288	353	2,531	5,724	44	53	383	866
329	789	12	101	124	889	2,011	15	19	133	301
330	938	12	206	253	1,814	4,103	37	45	322	729
331	675	12	209	256	1,836	4,151	27	33	235	531
332	379	12	208	255	1,829	4,135	15	18	131	297
333	445	12	208	255	1,829	4,135	18	21	154	349
334	525	24	562	690	4,948	11,190	56	69	492	1,113
336	453	31	230	282	2,022	4,573	20	24	173	392
337	150	13	141	173	1,241	308	4	5	35	9
338	671	5	88	108	774	1,751	11	14	98	223
339	311	10	275	337	2,417	5,465	16	20	142	321
340	304	12	209	257	1,843	4,168	12	15	106	240
341	929	11	107	131	939	2,124	19	23	165	374
343	370	11	138	170	1,219	2,757	10	12	85	193
344	513	11	116	142	1,018	2,303	11	14	99	224
347	303	5	138	170	1,219	2,757	8	10	70	158
349	67	18	275	338	2,424	5,481	3	4	31	69

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
350	446	5	53	65	466	1,054	4	5	39	89
351	335	5	75	92	660	1,492	5	6	42	95
352	430	5	85	104	746	1,687	7	8	61	137
353	360	5	138	169	1,212	2,741	9	12	83	187
354	50	5	138	170	1,219	2,757	1	2	12	26
355	88	12	53	65	466	1,054	1	1	8	18
356	113	12	275	338	2,424	5,481	6	7	52	117
358	463	27	211	259	1,857	4,200	18	23	163	368
359	229	13	4	5	36	81	0	0	2	4
360	245	14	4	5	36	81	0	0	2	4
361	248	16	22	27	194	438	1	1	9	21
362	199	8	29	36	258	584	1	1	10	22
363	230	22	231	283	2,029	4,589	10	12	88	200
364	256	16	244	300	2,151	4,865	12	15	104	236
365	201	23	13	16	115	259	0	1	4	10
366	201	10	137	168	1,205	2,724	5	6	46	104
367	752	31	742	911	6,533	14,773	106	130	930	2,103
368	410	12	209	257	1,843	4,168	16	20	143	324
369	307	9	406	498	3,571	8,076	24	29	208	470
370	96	20	450	552	3,958	8,952	8	10	72	162
371	712	13	586	719	5,156	11,660	79	97	695	1,572
372	430	25	442	543	3,894	8,806	36	44	317	717
373	2,331	27	222	273	1,958	4,427	98	121	864	1,955
374	301	5	88	108	774	1,751	5	6	44	100
375	269	5	138	170	1,219	2,757	7	9	62	141
376	751	12	64	78	559	1,265	9	11	79	180

Table H-10 2023 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
377	835	7	55	68	488	1,103	9	11	77	174
378	758	6	152	186	1,334	3,016	22	27	192	433
379	313	13	210	258	1,850	4,184	12	15	110	248
380	671	11	165	203	1,456	3,292	21	26	185	419
Logan VMT							8,160	10,570	75,798	171,340

Source: Massport, 2025.

Notes:

AWDT Average weekday daily traffic

VMT Vehicle miles traveled

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
1	336	30	297	352	2,577	5,946	19	22	164	379
2	67	15	14	16	120	278	0	0	2	4
3	1,655	31	64	76	555	1,281	20	24	174	401
4	412	8	464	550	4,027	9,293	36	43	314	724
5	546	28	273	324	2,368	5,463	28	33	245	565
6	272	33	3	3	25	57	0	0	1	3
7	317	33	238	282	2,062	4,759	14	17	124	286
8	155	8	24	29	210	484	1	1	6	14
9	153	30	18	22	159	367	1	1	5	11
10	226	20	157	186	1,362	3,143	7	8	58	135
11	66	32	22	26	188	435	0	0	2	5
12	1,792	28	45	53	387	893	15	18	131	303

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
13	1,856	22	116	137	1,004	2,317	41	48	353	814
14	240	16	186	221	1,616	3,729	8	10	73	169
15	294	7	198	235	1,723	3,976	11	13	96	221
16	569	30	252	300	2,192	5,057	27	32	236	545
17	219	23	14	17	124	287	1	1	5	12
18	218	8	7	8	57	132	0	0	2	5
19	211	4	313	371	2,717	6,269	12	15	108	250
21	210	2	350	415	3,035	7,003	14	17	121	279
22	407	18	306	363	2,655	6,125	24	28	205	473
23	50	9	458	543	3,977	9,176	4	5	38	87
25	402	18	1,119	1,328	9,719	22,425	85	101	740	1,708
26	302	30	609	722	5,287	12,198	35	41	303	699
27	249	3	111	131	962	2,220	5	6	45	105
28	723	32	212	252	1,843	4,252	29	34	252	582
29	74	19	135	161	1,175	2,711	2	2	16	38
30	131	25	435	516	3,779	8,719	11	13	94	217
34	688	25	479	568	4,159	9,595	62	74	542	1,250
35	315	20	71	84	614	1,417	4	5	37	84
36	66	15	171	203	1,487	3,430	2	3	19	43
37	228	9	298	354	2,589	5,974	13	15	112	258
38	94	4	106	126	920	2,123	2	2	16	38
39	39	27	15	18	131	302	0	0	1	2
40	478	1	199	236	1,726	3,983	18	21	156	360
41	204	14	37	44	320	739	1	2	12	29
42	47	2	13	15	109	253	0	0	1	2
43	38	11	243	289	2,114	4,878	2	2	15	35
44	620	30	239	283	2,072	4,780	28	33	243	562

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
45	368	30	616	730	5,344	12,331	43	51	373	860
46	288	33	3	4	26	61	0	0	1	3
47	170	2	405	481	3,517	8,115	13	15	113	261
48	162	14	146	174	1,272	2,935	4	5	39	90
49	230	13	294	349	2,553	5,891	13	15	111	256
50	532	9	115	136	995	2,295	12	14	100	231
51	295	4	282	335	2,451	5,655	16	19	137	316
52	295	2	118	140	1,027	2,369	7	8	57	132
53	80	29	571	678	4,958	11,439	9	10	75	174
54	101	21	109	130	951	2,193	2	2	18	42
55	255	1	60	71	517	1,192	3	3	25	58
56	301	1	71	85	619	1,428	4	5	35	81
58	28	15	10	11	84	193	0	0	0	1
59	117	15	155	184	1,346	3,106	3	4	30	69
60	116	5	177	210	1,535	3,542	4	5	34	78
61	454	3	45	53	389	898	4	5	33	77
62	152	2	15	18	133	307	0	1	4	9
63	46	32	4	5	37	86	0	0	0	1
64	60	11	888	1,053	7,708	17,785	10	12	88	203
65	235	29	727	863	6,315	14,572	32	38	281	649
67	961	11	86	102	748	1,727	16	19	136	314
68	151	0	23	27	199	460	1	1	6	13
69	1,374	21	392	465	3,403	7,851	102	121	886	2,043
90	213	21	860	1,021	7,468	17,231	35	41	301	695
103	2,331	27	180	214	1,565	3,611	79	94	691	1,594
104	48	23	5	6	42	97	0	0	0	1
105	1,311	24	107	127	926	2,136	27	32	230	530
106	935	15	420	498	3,645	8,411	74	88	645	1,489
107	622	14	17	20	144	332	2	2	17	39

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
108	605	15	52	62	453	1,046	6	7	52	120
109	54	26	36	43	316	728	0	0	3	7
110	54	25	46	55	402	927	0	1	4	10
111	55	25	30	36	262	605	0	0	3	6
112	407	11	137	162	1,189	2,743	11	12	92	212
113	326	9	5	6	45	104	0	0	3	6
114	52	13	148	176	1,286	2,967	1	2	13	29
115	201	29	266	316	2,309	5,327	10	12	88	203
116	838	8	238	283	2,067	4,770	38	45	328	758
117	834	10	152	181	1,322	3,049	24	29	209	481
118	276	3	153	181	1,325	3,057	8	9	69	160
119	37	8	162	193	1,409	3,251	1	1	10	23
120	108	28	535	635	4,646	10,719	11	13	95	219
123	135	28	6	7	51	118	0	0	1	3
124	605	9	493	585	4,278	9,870	57	67	491	1,132
125	50	1	34	40	295	682	0	0	3	6
126	134	27	5	6	46	106	0	0	1	3
127	1,308	20	642	762	5,576	12,866	159	189	1,381	3,187
128	166	26	99	117	856	1,975	3	4	27	62
129	236	20	111	132	963	2,222	5	6	43	99
130	144	31	28	33	241	557	1	1	7	15
133	292	3	13	16	114	263	1	1	6	15
134	105	4	196	232	1,698	3,917	4	5	34	78
135	494	30	865	1,026	7,510	17,327	81	96	703	1,622
136	211	31	379	450	3,293	7,599	15	18	131	303
137	437	30	484	575	4,205	9,702	40	48	348	803

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
138	65	15	64	76	557	1,284	1	1	7	16
139	452	30	374	444	3,250	7,499	32	38	278	642
140	458	20	414	491	3,596	8,297	36	43	312	720
142	113	28	344	408	2,989	6,896	7	9	64	148
144	556	16	424	503	3,683	8,498	45	53	388	895
145	137	20	467	554	4,052	9,348	12	14	105	243
146	14	11	394	468	3,423	7,898	1	1	9	21
147	217	5	416	493	3,608	8,325	17	20	148	343
148	191	5	315	374	2,734	6,308	11	14	99	228
149	198	26	454	539	3,942	9,095	17	20	148	340
150	118	26	342	405	2,967	6,846	8	9	67	154
151	1,298	20	371	440	3,222	7,434	91	108	792	1,827
152	129	21	554	658	4,811	11,101	14	16	117	270
153	1,313	16	442	525	3,840	8,861	110	131	955	2,204
154	212	11	47	56	410	945	2	2	16	38
161	235	27	1,961	2,326	17,022	39,276	87	103	757	1,747
162	1,449	31	42	49	362	834	12	13	99	229
164	211	31	379	450	3,293	7,599	15	18	131	303
165	437	30	484	575	4,205	9,702	40	48	348	803
166	178	7	621	737	5,391	12,438	21	25	181	418
167	143	23	252	299	2,187	5,045	7	8	59	137
171	160	18	153	182	1,333	3,075	5	6	40	93
197	465	16	13	15	113	260	1	1	10	23
198	56	16	96	114	836	1,929	1	1	9	21
199	62	13	6	8	55	128	0	0	1	2
201	275	6	272	323	2,364	5,454	14	17	123	284

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
203	296	5	264	314	2,295	5,295	15	18	129	297
204	307	6	148	176	1,286	2,966	9	10	75	173
205	213	13	35	42	306	706	1	2	12	29
206	86	1	36	42	308	712	1	1	5	12
207	270	2	145	172	1,257	2,899	7	9	64	148
208	160	3	218	259	1,895	4,373	7	8	58	133
209	120	2	146	173	1,264	2,917	3	4	29	66
210	194	7	270	321	2,347	5,414	10	12	86	199
211	555	5	270	320	2,343	5,405	28	34	246	569
213	275	6	272	323	2,364	5,454	14	17	123	284
214	250	6	266	316	2,313	5,336	13	15	109	252
215	282	6	257	305	2,234	5,155	14	16	119	275
218	256	4	263	312	2,283	5,268	13	15	111	256
219	751	16	1,091	1,295	9,473	21,858	155	184	1,348	3,111
220	747	14	615	730	5,340	12,321	87	103	755	1,743
222	473	26	1,180	1,400	10,246	23,642	106	125	918	2,119
223	750	28	1,869	2,218	16,231	37,451	265	315	2,306	5,320
224	496	30	653	775	5,670	13,083	61	73	533	1,229
225	635	28	1,439	1,707	12,491	28,820	173	205	1,503	3,467
226	291	27	803	952	6,969	16,080	44	52	384	885
227	559	13	595	706	5,168	11,925	63	75	547	1,263
228	717	29	1,152	1,367	10,004	23,082	156	186	1,359	3,135
229	2,639	31	28	33	241	557	14	17	120	278
230	1,564	25	1,230	1,459	10,677	24,635	364	432	3,162	7,296
231	93	2	2	2	14	32	0	0	0	1
232	63	1	13	15	109	252	0	0	1	3

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
233	65	2	15	18	130	301	0	0	2	4
234	137	1	12	14	102	234	0	0	3	6
235	101	1	15	18	134	308	0	0	3	6
236	74	1	4	5	34	79	0	0	0	1
241	11	33	17	20	147	339	0	0	0	1
242	154	3	32	39	282	650	1	1	8	19
243	156	23	5	5	40	93	0	0	1	3
244	449	28	1,956	2,320	16,979	39,176	166	197	1,444	3,332
245	650	31	395	469	3,432	7,919	49	58	423	975
248	709	27	268	318	2,330	5,377	36	43	313	723
249	57	18	406	481	3,523	8,128	4	5	38	87
250	491	25	331	393	2,875	6,633	31	37	267	617
251	536	30	623	739	5,406	12,474	63	75	548	1,266
252	496	28	623	739	5,405	12,472	59	69	508	1,171
253	399	29	1,424	1,690	12,368	28,537	108	128	934	2,154
254	284	20	279	331	2,420	5,584	15	18	130	300
256	907	30	1,156	1,372	10,037	23,158	199	236	1,725	3,980
257	186	12	261	309	2,265	5,225	9	11	80	184
259	133	18	496	588	4,304	9,931	12	15	108	250
260	304	12	291	345	2,527	5,831	17	20	146	336
261	800	28	648	769	5,625	12,979	98	116	852	1,966
262	146	26	488	579	4,240	9,783	13	16	117	270
264	188	21	241	286	2,096	4,836	9	10	75	172
265	317	2	97	116	845	1,951	6	7	51	117
266	276	3	163	193	1,414	3,262	9	10	74	171
267	164	11	231	274	2,005	4,626	7	9	62	144

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
268	238	3	78	93	679	1,567	4	4	31	71
269	259	17	1,133	1,344	9,836	22,695	56	66	482	1,113
272	817	11	560	665	4,863	11,220	87	103	753	1,737
277	414	15	615	730	5,344	12,330	48	57	419	966
278	1,034	12	508	602	4,407	10,168	99	118	863	1,991
279	1,110	13	109	129	944	2,178	23	27	198	458
281	102	5	48	57	416	961	1	1	8	19
282	230	16	243	289	2,114	4,878	11	13	92	212
284	410	6	255	303	2,218	5,117	20	24	172	398
285	159	4	257	304	2,227	5,139	8	9	67	155
286	426	11	187	222	1,628	3,755	15	18	131	303
287	193	12	255	302	2,212	5,104	9	11	81	187
288	118	12	248	295	2,156	4,974	6	7	48	111
289	189	12	249	296	2,166	4,997	9	11	78	179
290	272	8	667	791	5,790	13,360	34	41	298	687
291	277	15	736	873	6,388	14,738	39	46	335	774
293	254	9	664	788	5,765	13,303	32	38	277	639
294	123	11	475	563	4,121	9,508	11	13	96	222
296	62	13	264	313	2,293	5,291	3	4	27	63
297	697	7	276	328	2,398	5,534	36	43	317	731
298	326	9	539	640	4,683	10,805	33	40	289	668
300	107	14	350	415	3,040	7,014	7	8	62	143
304	380	17	1,072	1,272	9,305	21,470	77	91	669	1,543
305	626	11	486	576	4,217	9,730	58	68	500	1,153
309	392	23	5	6	43	100	0	0	3	7
310	469	5	15	18	128	296	1	2	11	26

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
311	521	8	18	22	160	368	2	2	16	36
331	934	22	9	11	78	181	2	2	14	32
332	169	2	48	57	414	956	2	2	13	31
333	189	23	3	4	29	67	0	0	1	2
334	78	3	111	132	967	2,231	2	2	14	33
335	191	21	272	323	2,364	5,454	10	12	86	197
336	209	20	258	307	2,244	5,178	10	12	89	205
337	483	25	34	40	294	677	3	4	27	62
339	134	4	116	137	1,005	2,318	3	3	26	59
342	437	5	9	11	79	182	1	1	7	15
343	541	10	8	10	73	168	1	1	7	17
344	41	4	44	52	381	878	0	0	3	7
345	58	27	9	11	78	181	0	0	1	2
346	51	1	20	24	172	397	0	0	2	4
347	237	19	85	101	736	1,698	4	5	33	76
369	348	26	801	950	6,955	16,047	53	63	458	1,057
370	932	26	815	968	7,080	16,336	144	171	1,249	2,883
371	647	29	626	743	5,435	12,539	77	91	666	1,536
372	710	28	527	625	4,575	10,555	71	84	615	1,419
373	875	28	627	745	5,448	12,571	104	123	903	2,083
374	396	28	525	623	4,559	10,518	39	47	342	788
375	140	5	74	88	647	1,492	2	2	17	40
378	364	9	224	266	1,949	4,496	15	18	134	310
380	62	14	92	109	798	1,842	1	1	9	22
381	67	31	35	42	304	702	0	1	4	9
382	67	19	28	33	245	565	0	0	3	7

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
388	36	4	109	130	948	2,188	1	1	6	15
389	52	3	330	391	2,865	6,610	3	4	28	65
393	35	8	81	96	704	1,624	1	1	5	11
395	27	2	33	40	290	669	0	0	1	3
396	201	2	86	102	747	1,724	3	4	28	66
397	279	10	479	569	4,162	9,604	25	30	220	508
399	94	1	129	153	1,121	2,586	2	3	20	46
400	238	13	150	177	1,298	2,996	7	8	58	135
401	15	6	138	164	1,197	2,761	0	0	3	8
405	85	33	6	7	53	122	0	0	1	2
411	250	11	133	158	1,154	2,664	6	7	55	126
414	179	24	173	205	1,500	3,461	6	7	51	118
415	178	5	209	248	1,816	4,189	7	8	61	141
416	482	11	172	204	1,496	3,451	16	19	137	315
417	109	8	53	63	461	1,064	1	1	10	22
10000	159	25	5	6	45	103	0	0	1	3
10001	51	26	5	6	45	103	0	0	0	1
10002	31	19	9	11	78	181	0	0	0	1
10003	77	13	27	32	233	539	0	0	3	8
10004	57	30	20	24	175	404	0	0	2	4
10006	53	14	96	114	832	1,921	1	1	8	19
10007	59	5	249	296	2,166	4,998	3	3	24	56
10008	37	32	28	33	241	557	0	0	2	4
10009	89	31	28	33	241	557	0	1	4	9
10010	22	20	111	132	966	2,229	0	1	4	9
10011	48	28	69	82	601	1,388	1	1	5	13

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10013	58	18	3	4	29	68	0	0	0	1
10014	32	33	22	26	190	437	0	0	1	3
10015	30	33	49	58	424	979	0	0	2	6
10016	27	17	176	208	1,524	3,517	1	1	8	18
10017	88	13	224	266	1,946	4,491	4	4	32	75
10018	16	18	479	569	4,161	9,600	1	2	13	30
10019	68	12	275	327	2,390	5,513	4	4	31	71
10020	25	20	111	132	963	2,222	1	1	5	11
10021	95	13	147	174	1,274	2,940	3	3	23	53
10022	86	33	272	323	2,365	5,456	4	5	38	89
10023	49	33	3	4	29	68	0	0	0	1
10024	28	12	289	343	2,512	5,795	2	2	13	31
10025	59	17	158	187	1,371	3,164	2	2	15	35
10026	65	33	3	4	30	69	0	0	0	1
10027	55	32	42	50	364	840	0	1	4	9
10029	103	19	17	20	145	334	0	0	3	7
10030	39	27	99	117	857	1,977	1	1	6	15
10031	54	27	803	952	6,968	16,077	8	10	71	165
10032	36	10	324	385	2,815	6,496	2	3	19	45
10033	83	2	54	64	469	1,082	1	1	7	17
10034	106	12	15	18	130	299	0	0	3	6
10036	43	28	6	7	51	118	0	0	0	1
10037	65	13	33	39	285	657	0	0	4	8
10039	22	29	27	32	233	539	0	0	1	2
10042	138	18	69	82	602	1,389	2	2	16	36
10043	41	10	42	50	366	844	0	0	3	7

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10044	147	15	59	71	517	1,192	2	2	14	33
10046	36	12	351	417	3,051	7,040	2	3	21	49
10047	100	22	393	467	3,416	7,882	7	9	64	149
10048	89	12	101	119	873	2,015	2	2	15	34
10049	97	16	60	71	519	1,197	1	1	10	22
10050	41	27	365	434	3,173	7,320	3	3	24	56
10051	47	28	454	539	3,946	9,104	4	5	35	80
10052	31	23	99	117	856	1,975	1	1	5	11
10053	40	20	308	365	2,670	6,161	2	3	20	46
10054	12	25	9	11	79	182	0	0	0	0
10056	59	23	5	6	44	101	0	0	0	1
10057	18	32	333	395	2,887	6,662	1	1	10	23
10058	16	28	526	624	4,568	10,540	2	2	14	32
10059	81	28	7	8	59	137	0	0	1	2
10060	89	12	28	33	244	564	0	1	4	10
10061	113	22	394	468	3,425	7,902	8	10	73	168
10062	35	22	332	393	2,879	6,643	2	3	19	45
10063	64	7	90	107	781	1,801	1	1	10	22
10065	93	19	241	286	2,092	4,827	4	5	37	85
10066	52	4	222	263	1,926	4,444	2	3	19	44
10067	113	21	159	188	1,376	3,176	3	4	29	68
10068	88	15	135	161	1,174	2,710	2	3	20	45
10069	44	19	170	202	1,480	3,415	1	2	12	28
10070	21	2	153	181	1,326	3,059	1	1	5	12
10071	0	15	1,096	1,300	9,513	21,950	0	0	1	2
10072	49	5	136	161	1,181	2,725	1	1	11	25

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10073	71	15	155	184	1,348	3,110	2	2	18	42
10074	51	5	198	235	1,721	3,970	2	2	17	38
10075	117	12	15	18	132	304	0	0	3	7
10076	36	20	8	9	66	152	0	0	0	1
10077	67	26	350	415	3,036	7,005	4	5	39	89
10078	62	9	72	85	621	1,433	1	1	7	17
10080	50	7	60	71	517	1,194	1	1	5	11
10081	61	6	25	30	217	501	0	0	3	6
10082	63	6	28	34	247	569	0	0	3	7
10084	0	28	350	415	3,035	7,003	0	0	0	1
10085	0	29	290	344	2,516	5,804	0	0	0	1
10086	0	21	556	660	4,829	11,143	0	0	0	1
10087	0	20	556	660	4,829	11,141	0	0	0	1
10088	10	9	76	90	656	1,514	0	0	1	3
10089	17	26	1,338	1,587	11,614	26,796	4	5	38	89
10090	17	31	199	236	1,730	3,991	1	1	6	13
10091	16	29	188	224	1,636	3,775	1	1	5	11
10092	59	22	148	176	1,289	2,974	2	2	14	33
10093	31	14	209	248	1,816	4,190	1	1	11	25
10095	71	12	91	108	788	1,817	1	1	11	24
10096	74	8	117	138	1,013	2,338	2	2	14	33
10097	59	16	148	176	1,289	2,973	2	2	14	33
10098	91	12	96	114	834	1,925	2	2	14	33
10099	57	7	188	223	1,632	3,767	2	2	18	41
10100	80	16	192	228	1,670	3,854	3	3	25	58
10101	75	32	198	235	1,720	3,968	3	3	25	57

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10102	23	13	115	137	1,000	2,308	0	1	4	10
10103	56	12	234	277	2,027	4,678	3	3	22	50
10104	69	11	34	40	291	672	0	1	4	9
10105	46	2	71	84	614	1,417	1	1	5	12
10106	929	12	135	160	1,172	2,704	24	28	206	476
10108	13	13	9	11	78	181	0	0	0	0
10109	44	2	57	67	491	1,133	0	1	4	9
10110	299	17	33	39	288	665	2	2	16	38
10112	21	26	890	1,055	7,723	17,820	4	4	31	71
10114	40	26	15	18	132	304	0	0	1	2
10115	36	9	34	41	298	687	0	0	2	5
10116	21	25	589	698	5,110	11,790	2	3	20	46
10117	27	28	640	759	5,555	12,816	3	4	28	64
10118	156	29	426	505	3,696	8,527	13	15	109	251
10120	38	14	158	187	1,370	3,162	1	1	10	23
10121	45	10	316	375	2,744	6,331	3	3	23	54
10122	34	23	246	292	2,140	4,937	2	2	14	32
10123	66	8	69	82	600	1,384	1	1	8	17
10124	70	11	580	689	5,040	11,629	8	9	67	153
10125	7	11	487	578	4,229	9,759	1	1	5	13
10127	8	11	115	137	1,000	2,308	0	0	1	3
10132	52	7	7	8	58	133	0	0	1	1
10133	42	7	3	4	30	69	0	0	0	1
10134	26	16	10	12	86	198	0	0	0	1
10135	59	15	13	15	112	258	0	0	1	3
10136	30	7	487	578	4,229	9,759	3	3	24	55

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10137	66	14	308	365	2,674	6,170	4	5	33	77
10138	30	6	10	12	88	203	0	0	1	1
10139	63	11	889	1,054	7,715	17,800	11	13	92	213
10140	48	8	91	108	790	1,823	1	1	7	16
10142	19	27	36	42	310	716	0	0	1	3
10143	21	31	472	560	4,097	9,453	2	2	16	38
10144	17	8	29	34	249	574	0	0	1	2
10145	55	29	278	330	2,411	5,564	3	3	25	58
10146	14	14	108	128	934	2,156	0	0	2	6
10147	41	18	333	395	2,894	6,677	3	3	22	52
10148	14	31	396	469	3,435	7,925	1	1	9	20
10149	793	22	117	138	1,013	2,337	18	21	152	351
10150	95	13	59	70	514	1,187	1	1	9	21
10151	113	30	300	355	2,601	6,001	6	8	55	128
10152	116	22	299	355	2,598	5,994	7	8	57	132
10155	115	11	487	577	4,224	9,747	11	13	92	212
10156	74	12	176	209	1,529	3,528	2	3	22	50
10157	47	8	240	285	2,087	4,816	2	3	18	42
10158	38	28	34	40	291	672	0	0	2	5
10159	60	7	115	137	999	2,305	1	2	11	26
10160	53	17	61	72	527	1,216	1	1	5	12
10161	47	18	72	86	629	1,450	1	1	6	13
10163	30	30	683	811	5,932	13,687	4	5	34	78
10164	21	23	46	55	402	927	0	0	2	4
10167	22	17	94	112	820	1,891	0	0	3	8
10168	44	12	239	284	2,079	4,796	2	2	17	40

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10169	53	29	277	329	2,404	5,547	3	3	24	56
10171	294	13	4	5	39	89	0	0	2	5
10172	29	14	5	6	45	105	0	0	0	1
10173	51	14	5	5	40	93	0	0	0	1
10174	28	12	5	5	40	91	0	0	0	0
10175	40	23	20	24	176	407	0	0	1	3
10176	58	12	13	15	110	253	0	0	1	3
10177	38	16	21	25	181	417	0	0	1	3
10178	32	7	47	56	409	944	0	0	2	6
10179	79	29	156	185	1,350	3,116	2	3	20	46
10180	70	5	77	91	667	1,539	1	1	9	20
10181	83	5	59	70	512	1,182	1	1	8	19
10182	142	30	177	210	1,537	3,547	5	6	41	95
10183	73	14	298	353	2,585	5,965	4	5	36	82
10184	50	7	80	95	691	1,595	1	1	7	15
10185	57	30	624	741	5,421	12,509	7	8	59	135
10186	112	29	1,465	1,739	12,723	29,356	31	37	270	624
10187	28	7	37	44	322	743	0	0	2	4
10188	21	14	35	42	307	709	0	0	1	3
10189	14	9	75	89	652	1,504	0	0	2	4
10190	44	3	204	242	1,773	4,090	2	2	15	34
10191	51	13	13	16	116	268	0	0	1	3
10192	61	13	40	47	345	795	0	1	4	9
10193	37	10	13	16	116	268	0	0	1	2
10194	64	10	152	181	1,323	3,052	2	2	16	37
10195	81	6	52	62	453	1,046	1	1	7	16

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10196	29	9	251	297	2,175	5,018	1	2	12	28
10197	21	21	247	294	2,148	4,956	1	1	8	20
10198	16	7	49	59	430	991	0	0	1	3
10199	17	30	166	197	1,443	3,329	1	1	5	10
10200	14	29	246	292	2,139	4,935	1	1	6	13
10201	35	29	624	741	5,421	12,508	4	5	36	82
10202	62	13	9	10	75	174	0	0	1	2
10203	21	26	289	343	2,509	5,790	1	1	10	23
10204	193	3	378	448	3,280	7,569	14	16	120	277
10205	73	13	156	185	1,350	3,115	2	3	19	43
10206	115	30	56	66	485	1,119	1	1	11	24
10207	25	6	59	70	509	1,175	0	0	2	6
10208	14	13	152	180	1,318	3,041	0	0	4	8
10210	36	2	149	176	1,289	2,975	1	1	9	21
10211	23	33	9	11	78	181	0	0	0	1
10212	151	13	147	175	1,278	2,948	4	5	36	84
10213	213	2	213	253	1,849	4,267	9	10	75	172
10214	203	1	122	144	1,057	2,438	5	6	41	94
10218	105	31	134	159	1,165	2,689	3	3	23	54
10219	4	10	283	336	2,460	5,676	0	0	2	4
10220	113	26	30	36	263	608	1	1	6	13
10221	21	12	109	130	948	2,186	0	1	4	9
10222	32	7	77	91	668	1,542	0	1	4	9
10223	159	30	228	271	1,980	4,570	7	8	59	137
10224	138	17	93	110	806	1,860	2	3	21	49
10225	78	30	406	481	3,521	8,124	6	7	52	120

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10227	34	29	12	14	102	236	0	0	1	2
10228	43	12	126	150	1,097	2,530	1	1	9	21
10229	170	28	168	199	1,460	3,368	5	6	47	108
10230	42	15	56	66	485	1,119	0	1	4	9
10231	20	22	158	187	1,371	3,164	1	1	5	12
10232	18	12	98	116	852	1,966	0	0	3	7
10233	24	12	164	195	1,425	3,289	1	1	6	15
10234	35	12	36	43	314	724	0	0	2	5
10235	37	11	55	65	473	1,092	0	0	3	8
10236	20	17	110	130	955	2,203	0	1	4	8
10237	27	16	145	172	1,256	2,897	1	1	6	15
10238	14	11	267	317	2,319	5,350	1	1	6	14
10241	463	17	55	65	476	1,099	5	6	42	96
10244	3	11	118	140	1,023	2,360	0	0	1	1
10245	117	31	509	604	4,423	10,206	11	13	98	226
10246	47	16	3	4	26	61	0	0	0	1
10247	238	13	137	163	1,194	2,754	6	7	54	124
10249	23	17	56	66	484	1,118	0	0	2	5
10250	43	31	188	223	1,631	3,763	2	2	13	31
10251	23	26	453	538	3,936	9,081	2	2	17	39
10252	27	12	92	109	796	1,836	0	1	4	10
10253	100	24	7	8	61	142	0	0	1	3
10254	53	23	3	4	29	68	0	0	0	1
10255	41	6	50	60	438	1,010	0	0	3	8
10256	15	9	282	335	2,451	5,655	1	1	7	16
10257	9	6	39	46	337	777	0	0	1	1

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10259	21	23	5	6	44	101	0	0	0	0
10261	35	12	7	8	58	133	0	0	0	1
10262	105	23	5	6	44	101	0	0	1	2
10265	3	8	660	783	5,727	13,214	0	0	4	8
10266	3	6	154	183	1,335	3,081	0	0	1	2
10267	45	6	136	161	1,177	2,715	1	1	10	23
10269	36	5	4	5	37	84	0	0	0	1
10270	39	7	88	105	767	1,769	1	1	6	13
10271	43	28	36	43	311	718	0	0	3	6
10272	34	29	48	57	417	962	0	0	3	6
10273	14	6	35	42	308	711	0	0	1	2
10274	8	5	112	133	975	2,249	0	0	1	3
10276	10	3	36	43	313	721	0	0	1	1
10277	33	29	39	46	337	777	0	0	2	5
10278	22	17	37	44	322	743	0	0	1	3
10279	42	23	65	77	563	1,300	1	1	5	10
10281	6	5	145	172	1,261	2,911	0	0	1	3
10282	32	29	47	56	410	945	0	0	3	6
10283	4	2	146	173	1,264	2,917	0	0	1	2
10284	66	9	45	54	394	908	1	1	5	11
10285	11	12	278	330	2,413	5,567	1	1	5	12
10286	11	11	274	325	2,378	5,487	1	1	5	12
10287	77	0	38	45	330	762	1	1	5	11
10288	10	9	269	320	2,340	5,398	1	1	5	11
10289	11	11	266	315	2,307	5,323	1	1	5	11
10290	38	6	240	285	2,084	4,808	2	2	15	34

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10291	98	12	74	88	646	1,491	1	2	12	28
10292	85	18	81	96	703	1,622	1	2	11	26
10293	73	14	118	141	1,028	2,373	2	2	14	33
10294	14	14	119	141	1,032	2,381	0	0	3	7
10295	79	3	97	115	843	1,945	1	2	13	29
10296	27	13	141	167	1,221	2,818	1	1	6	14
10297	25	4	110	130	951	2,195	1	1	5	10
10298	38	12	175	207	1,516	3,498	1	2	11	25
10299	11	12	273	324	2,368	5,465	1	1	5	12
10300	35	20	620	736	5,383	12,422	4	5	36	83
10301	37	17	1,099	1,304	9,539	22,010	8	9	66	152
10302	27	14	48	57	419	967	0	0	2	5
10303	18	29	673	799	5,847	13,491	2	3	20	46
10304	20	28	1,223	1,451	10,619	24,502	5	6	41	94
10305	23	25	453	537	3,930	9,068	2	2	17	39
10306	22	27	644	764	5,593	12,904	3	3	23	53
10307	16	27	803	952	6,969	16,079	2	3	21	48
10308	17	29	1,444	1,713	12,534	28,919	5	5	40	92
10309	19	12	618	733	5,367	12,383	2	3	19	45
10310	26	32	215	255	1,863	4,298	1	1	9	21
10311	21	29	532	631	4,615	10,648	2	2	18	42
10313	18	31	727	863	6,316	14,574	3	3	22	51
10314	40	15	16	19	135	312	0	0	1	2
10315	45	8	2	2	15	34	0	0	0	0
10316	22	9	14	17	124	287	0	0	1	1
10317	57	7	12	14	102	236	0	0	1	3

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10318	18	11	16	19	139	321	0	0	0	1
10319	46	9	4	5	37	84	0	0	0	1
10320	19	9	13	16	117	270	0	0	0	1
10321	23	11	252	298	2,184	5,038	1	1	9	22
10322	34	30	658	781	5,715	13,186	4	5	37	86
10323	30	25	11	13	95	219	0	0	1	1
10324	4	18	82	97	709	1,636	0	0	0	1
10325	7	16	103	122	891	2,056	0	0	1	3
10327	21	10	6	8	55	127	0	0	0	1
10329	41	33	17	20	147	339	0	0	1	3
10330	70	11	38	45	331	765	1	1	4	10
10332	27	13	21	25	181	419	0	0	1	2
10333	72	28	1,976	2,345	17,158	39,590	27	32	235	542
10334	22	32	395	468	3,427	7,908	2	2	14	33
10336	48	11	415	492	3,599	8,305	4	4	32	75
10337	7	32	275	326	2,386	5,506	0	0	3	7
10340	38	16	428	508	3,716	8,574	3	4	27	62
10341	85	32	22	26	192	443	0	0	3	7
10342	26	16	373	442	3,234	7,462	2	2	16	37
10343	0	26	331	393	2,877	6,638	0	0	0	1
10344	16	30	629	746	5,459	12,595	2	2	17	38
10345	105	24	118	141	1,029	2,374	2	3	20	47
10346	8	28	627	744	5,441	12,555	1	1	9	20
10348	11	28	816	969	7,088	16,355	2	2	14	33
10349	13	28	623	739	5,410	12,484	2	2	13	30
10350	24	12	279	331	2,423	5,590	1	2	11	26

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10351	41	29	278	330	2,416	5,576	2	3	19	43
10352	30	30	1,160	1,376	10,071	23,238	7	8	57	132
10353	11	12	118	140	1,024	2,363	0	0	2	5
10355	25	9	24	28	205	473	0	0	1	2
10356	42	14	500	594	4,343	10,020	4	5	35	80
10357	32	2	11	13	95	219	0	0	1	1
10358	69	29	504	598	4,374	10,093	7	8	57	131
10359	19	22	502	596	4,363	10,067	2	2	16	37
10361	46	14	79	94	687	1,586	1	1	6	14
10362	26	19	166	196	1,438	3,317	1	1	7	16
10363	25	11	97	116	846	1,952	0	1	4	9
10364	147	28	376	446	3,263	7,529	10	12	91	210
10367	33	11	79	94	688	1,588	0	1	4	10
10368	35	7	214	254	1,857	4,285	1	2	12	29
10370	32	9	163	194	1,418	3,271	1	1	9	20
10371	31	7	98	116	850	1,962	1	1	5	11
10373	8	5	412	489	3,577	8,253	1	1	5	12
10374	47	15	762	904	6,614	15,260	7	8	58	134
10375	24	22	375	445	3,255	7,511	2	2	15	34
10381	3	13	38	45	331	763	0	0	0	0
10382	39	31	118	140	1,027	2,370	1	1	8	18
10383	30	13	513	609	4,453	10,275	3	4	26	59
10384	17	13	510	605	4,428	10,217	2	2	14	33
10388	25	12	23	28	202	466	0	0	1	2
10396	68	12	258	306	2,241	5,171	3	4	29	66
10398	10	12	259	307	2,248	5,188	0	1	4	9

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10399	70	12	258	306	2,238	5,165	3	4	30	68
10400	10	12	258	306	2,236	5,159	1	1	4	10
10401	35	12	157	187	1,366	3,152	1	1	9	21
10402	6	12	258	306	2,241	5,171	0	0	3	6
10403	8	11	665	790	5,778	13,331	1	1	9	20
10404	20	12	258	306	2,237	5,161	1	1	8	20
10405	23	10	413	490	3,589	8,281	2	2	15	36
10406	3	11	668	793	5,803	13,388	0	0	3	7
10408	40	20	173	206	1,506	3,474	1	2	11	26
10414	36	11	487	578	4,229	9,757	3	4	29	67
10415	23	14	279	331	2,422	5,588	1	1	11	24
10425	63	5	47	56	409	944	1	1	5	11
10426	58	19	103	122	892	2,058	1	1	10	22
10427	98	13	10	12	88	203	0	0	2	4
10428	28	19	169	201	1,469	3,390	1	1	8	18
10429	27	21	274	325	2,377	5,484	1	2	12	28
10430	100	20	258	306	2,236	5,159	5	6	42	98
10432	25	9	119	141	1,033	2,383	1	1	5	11
10433	31	22	104	124	904	2,085	1	1	5	12
10434	90	2	119	141	1,031	2,380	2	2	18	41
10436	75	24	392	465	3,404	7,853	6	7	48	111
10440	12	2	34	40	296	682	0	0	1	2
10441	87	2	20	24	176	405	0	0	3	7
10442	22	26	9	11	79	182	0	0	0	1
10443	29	9	20	24	176	405	0	0	1	2
10445	30	9	15	17	127	292	0	0	1	2

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10446	32	12	15	17	127	292	0	0	1	2
10458	14	23	5	6	44	101	0	0	0	0
10473	9	26	817	969	7,091	16,362	1	2	13	29
10474	64	23	17	20	145	334	0	0	2	4
10475	676	9	74	88	644	1,486	9	11	82	190
10476	137	11	487	578	4,227	9,753	13	15	110	253
10477	0	29	627	744	5,444	12,561	0	0	1	1
10478	0	29	528	627	4,587	10,584	0	0	0	1
10479	0	28	627	744	5,443	12,559	0	0	1	1
10480	0	28	527	626	4,578	10,562	0	0	0	1
10481	134	25	183	217	1,590	3,669	5	6	40	93
10482	71	18	17	20	143	331	0	0	2	4
10485	7	10	490	582	4,255	9,818	1	1	6	13
10486	1	24	331	393	2,874	6,632	0	0	1	2
10487	66	11	13	16	113	262	0	0	1	3
10488	52	6	35	41	300	692	0	0	3	7
10497	47	32	10	11	83	192	0	0	1	2
10500	107	6	133	158	1,154	2,663	3	3	23	54
10501	141	6	30	36	262	604	1	1	7	16
10504	86	27	215	255	1,869	4,313	4	4	30	70
10507	241	5	74	88	647	1,492	3	4	29	68
10508	204	6	142	168	1,233	2,845	5	7	48	110
10509	118	3	328	389	2,845	6,564	7	9	64	147
10513	187	9	154	183	1,341	3,093	5	6	47	109
10524	39	2	135	161	1,175	2,711	1	1	9	20
10530	144	4	8	10	73	169	0	0	2	5

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10533	85	4	225	267	1,953	4,506	4	4	32	73
10539	43	6	149	176	1,290	2,976	1	1	10	24
10540	95	7	148	175	1,283	2,961	3	3	23	53
10542	102	3	380	451	3,300	7,613	7	9	64	147
10543	39	6	90	107	785	1,812	1	1	6	13
10544	37	4	130	155	1,132	2,611	1	1	8	18
10545	76	1	119	141	1,034	2,385	2	2	15	34
10546	74	1	86	102	749	1,728	1	1	11	24
10547	74	7	26	31	229	529	0	0	3	7
10548	65	2	200	237	1,735	4,004	2	3	21	49
10549	50	8	55	66	480	1,108	1	1	5	10
10550	39	8	55	66	479	1,106	0	0	3	8
10555	241	2	8	10	72	167	0	0	3	8
10556	33	6	8	10	73	169	0	0	0	1
10557	39	6	150	177	1,298	2,995	1	1	10	22
10558	52	7	154	182	1,334	3,078	2	2	13	31
10561	19	5	47	56	412	950	0	0	1	3
10576	724	5	126	150	1,096	2,529	17	21	150	347
10578	462	22	109	130	950	2,192	10	11	83	192
10579	718	3	98	117	854	1,971	13	16	116	268
10582	53	12	113	134	984	2,270	1	1	10	23
10594	393	28	1,521	1,805	13,208	30,476	113	134	983	2,269
10596	815	28	945	1,121	8,206	18,933	146	173	1,267	2,924
10612	486	33	12	14	101	233	1	1	9	21
10617	372	33	8	10	73	169	1	1	5	12
10659	417	19	162	192	1,404	3,240	13	15	111	256

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
10661	148	13	8	9	66	153	0	0	2	4
10735	378	17	1,678	1,991	14,571	33,620	120	143	1,044	2,408
10761	914	30	1,463	1,736	12,705	29,314	253	301	2,200	5,077
10784	502	18	252	299	2,187	5,046	24	28	208	480
10785	305	8	249	296	2,166	4,998	14	17	125	288
10787	329	15	853	1,013	7,410	17,098	53	63	461	1,065
10788	446	15	1,438	1,707	12,487	28,812	121	144	1,054	2,433
10789	306	13	823	977	7,149	16,496	48	57	414	955
10790	905	12	665	789	5,777	13,329	114	135	991	2,286
10794	441	13	771	915	6,694	15,445	64	76	559	1,290
10806	356	3	248	294	2,153	4,969	17	20	145	335
10813	128	14	240	285	2,085	4,811	6	7	51	117
10854	532	14	162	193	1,410	3,254	16	19	142	328
10855	430	24	423	502	3,670	8,469	34	41	299	689
10890	89	32	80	94	690	1,593	1	2	12	27
10891	88	5	88	105	768	1,773	1	2	13	30
19895	10	18	177	210	1,535	3,542	0	0	3	7
20000	94	7	19	23	166	384	0	0	3	7
20001	77	7	14	17	124	286	0	0	2	4
20232	99	2	217	257	1,882	4,344	4	5	35	82
20233	19	5	147	174	1,274	2,940	1	1	5	10
20240	72	6	122	145	1,059	2,444	2	2	14	33
20293	25	12	29	35	256	591	0	0	1	3
20310	62	7	143	170	1,243	2,868	2	2	15	34
20357	40	13	165	196	1,433	3,307	1	2	11	25
20363	25	12	53	63	458	1,057	0	0	2	5

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
20380	241	4	57	68	496	1,146	3	3	23	52
20389	71	12	48	57	415	958	1	1	6	13
20390	68	18	15	18	129	297	0	0	2	4
20391	79	18	83	98	719	1,660	1	1	11	25
20397	10	18	314	372	2,722	6,281	1	1	5	12
20398	53	21	313	372	2,721	6,278	3	4	27	63
20399	11	31	405	481	3,519	8,119	1	1	7	16
20405	89	9	52	62	456	1,052	1	1	8	18
20616	38	31	727	863	6,311	14,562	5	6	45	104
20617	42	30	948	1,125	8,235	19,001	8	9	66	152
20618	108	12	61	73	533	1,231	1	1	11	25
20620	79	13	89	105	770	1,776	1	2	12	27
20621	62	6	54	64	465	1,073	1	1	5	13
20656	38	29	807	957	7,003	16,158	6	7	50	116
20658	42	30	120	143	1,044	2,410	1	1	8	19
20660	35	32	9	11	78	181	0	0	1	1
20662	38	10	10	12	85	196	0	0	1	1
20663	39	12	10	12	86	198	0	0	1	1
20665	128	11	36	43	312	721	1	1	8	17
20667	62	12	45	54	394	910	1	1	5	11
20668	127	14	63	75	551	1,272	2	2	13	31
20673	41	12	45	54	394	908	0	0	3	7
20674	38	4	46	55	400	923	0	0	3	7
20675	20	12	82	98	713	1,646	0	0	3	6
20748	20	12	257	304	2,227	5,139	1	1	8	19
20762	16	12	255	303	2,218	5,117	1	1	7	16

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
20782	104	12	12	14	104	239	0	0	2	5
20816	41	17	947	1,123	8,219	18,964	7	9	64	147
20850	8	31	1,270	1,507	11,024	25,436	2	2	16	37
20890	22	16	256	304	2,222	5,127	1	1	9	22
20891	7	19	164	195	1,425	3,289	0	0	2	4
20892	16	12	668	793	5,803	13,391	2	2	17	39
20893	38	14	833	988	7,230	16,682	6	7	52	120
20894	45	16	632	750	5,488	12,662	5	6	46	107
20900	20	13	668	793	5,800	13,382	3	3	22	51
20901	35	10	774	918	6,720	15,504	5	6	45	104
20903	24	24	254	301	2,204	5,085	1	1	10	23
20904	22	15	882	1,047	7,661	17,676	4	4	32	74
20905	27	14	880	1,044	7,642	17,634	5	5	40	91
20949	20	20	164	195	1,423	3,284	1	1	5	13
20951	103	24	345	409	2,995	6,911	7	8	58	135
20953	93	21	75	89	654	1,508	1	2	12	27
21022	22	31	83	99	722	1,666	0	0	3	7
30081	4,327	27	224	266	1,944	4,485	184	218	1,593	3,676
30828	59	8	13	15	110	253	0	0	1	3
40319	784	15	10	12	88	203	1	2	13	30
40320	486	16	111	132	962	2,221	10	12	88	204
40321	486	19	132	157	1,149	2,652	12	14	106	244
40322	257	18	28	33	240	553	1	2	12	27
40323	257	32	44	52	381	879	2	3	19	43
40324	365	14	192	228	1,668	3,850	13	16	115	266
40325	365	31	156	186	1,358	3,133	11	13	94	217

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
40326	2,963	16	111	132	964	2,225	62	74	541	1,249
40328	240	13	131	156	1,139	2,628	6	7	52	119
40329	778	17	270	321	2,348	5,419	40	47	346	798
40330	767	17	74	88	642	1,481	11	13	93	215
40331	280	28	73	87	635	1,464	4	5	34	78
40334	1,406	27	321	381	2,790	6,438	85	101	743	1,714
40335	280	22	80	95	695	1,603	4	5	37	85
40336	566	10	106	126	924	2,132	11	14	99	228
40337	884	19	254	301	2,201	5,079	43	50	368	850
40338	925	26	183	217	1,591	3,672	32	38	279	643
40339	136	13	12	14	106	243	0	0	3	6
40341	201	10	135	160	1,172	2,705	5	6	45	103
40342	609	31	105	125	913	2,107	12	14	105	243
40347	201	23	12	14	105	243	0	1	4	9
50421	72	9	243	288	2,108	4,863	3	4	29	66
50422	134	8	272	323	2,361	5,448	7	8	60	139
50424	84	6	3	4	30	69	0	0	0	1
50425	51	25	319	379	2,773	6,399	3	4	27	62
50426	99	28	51	61	446	1,028	1	1	8	19
50427	108	8	31	37	270	623	1	1	6	13
50428	97	13	66	79	576	1,330	1	1	11	24
50429	120	20	116	137	1,003	2,315	3	3	23	52
50430	105	31	140	166	1,216	2,805	3	3	24	56
50431	117	11	49	58	422	974	1	1	9	22
50432	128	24	143	170	1,241	2,863	3	4	30	70
50433	116	25	26	31	230	530	1	1	5	12

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
50440	35	28	13	16	116	268	0	0	1	2
50442	70	7	9	10	75	172	0	0	1	2
50443	70	6	147	174	1,276	2,944	2	2	17	39
50444	114	21	209	248	1,816	4,190	5	5	39	90
50445	105	26	158	187	1,370	3,162	3	4	27	63
50446	81	28	83	98	719	1,658	1	2	11	25
50449	96	19	93	110	804	1,854	2	2	15	34
50450	58	5	12	15	108	250	0	0	1	3
50451	79	19	101	120	877	2,023	2	2	13	30
50452	56	6	106	125	916	2,114	1	1	10	23
50453	76	21	7	8	59	135	0	0	1	2
50462	50	7	3	4	29	66	0	0	0	1
50463	69	9	138	164	1,199	2,767	2	2	16	36
50464	36	7	13	16	116	267	0	0	1	2
60317	156	22	222	264	1,931	4,456	7	8	57	132
60318	137	13	247	293	2,145	4,950	6	8	56	128
100320	128	21	21	25	180	415	1	1	4	10
100321	128	24	16	18	135	311	0	0	3	8
100322	333	26	190	226	1,652	3,812	12	14	104	241
100323	131	16	7	9	64	147	0	0	2	4
100324	148	13	7	8	59	136	0	0	2	4
100325	333	28	214	254	1,860	4,291	14	16	117	271
100326	26	0	9	10	76	175	0	0	0	1
100327	26	0	8	9	69	159	0	0	0	1
100328	26	0	7	9	63	145	0	0	0	1
100329	26	0	7	8	58	133	0	0	0	1

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
100330	26	0	6	7	55	126	0	0	0	1
100331	26	0	8	9	66	151	0	0	0	1
100332	26	0	8	9	69	160	0	0	0	1
100333	26	0	8	9	69	160	0	0	0	1
100334	26	0	8	9	66	153	0	0	0	1
100335	26	0	7	9	65	150	0	0	0	1
100336	26	0	9	10	76	175	0	0	0	1
100337	26	0	6	7	55	126	0	0	0	1
100338	26	0	8	9	66	151	0	0	0	1
100339	26	0	8	9	67	155	0	0	0	1
100340	26	0	7	9	64	148	0	0	0	1
100341	26	0	7	9	65	150	0	0	0	1
100342	26	0	8	9	66	151	0	0	0	1
100343	26	0	8	9	66	151	0	0	0	1
100344	26	0	7	9	65	150	0	0	0	1
100345	26	0	8	9	69	158	0	0	0	1
100346	26	0	8	9	66	151	0	0	0	1
100347	26	0	7	9	63	145	0	0	0	1
100348	26	0	7	8	61	141	0	0	0	1
100349	26	0	7	9	64	148	0	0	0	1
100350	26	0	6	8	56	130	0	0	0	1
100351	26	0	7	8	60	138	0	0	0	1
100352	26	0	7	8	58	133	0	0	0	1
100353	26	0	9	10	74	171	0	0	0	1
100354	26	0	7	9	63	146	0	0	0	1
100355	26	0	6	8	55	128	0	0	0	1

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
100356	26	0	7	9	63	145	0	0	0	1
100357	26	0	8	10	71	165	0	0	0	1
100358	26	0	7	8	58	134	0	0	0	1
100359	26	0	7	8	59	136	0	0	0	1
100360	26	0	5	6	46	106	0	0	0	1
100361	26	0	7	8	59	137	0	0	0	1
100362	26	0	6	7	51	118	0	0	0	1
100363	26	0	6	7	53	123	0	0	0	1
100364	26	0	5	6	44	101	0	0	0	0
100365	26	0	5	6	41	94	0	0	0	0
100366	26	0	6	8	56	130	0	0	0	1
100367	26	0	6	7	49	113	0	0	0	1
100368	26	0	6	7	50	116	0	0	0	1
100369	26	0	6	7	49	113	0	0	0	1
100370	26	0	5	6	46	107	0	0	0	1
100371	26	0	6	7	49	113	0	0	0	1
100372	26	0	6	7	52	121	0	0	0	1
100373	26	0	5	6	47	109	0	0	0	1
100374	26	0	5	6	43	99	0	0	0	0
100375	26	0	5	6	47	109	0	0	0	1
100376	26	0	6	7	50	114	0	0	0	1
100377	26	0	5	6	44	103	0	0	0	1
100378	26	0	5	6	46	105	0	0	0	1
100379	26	0	5	6	47	109	0	0	0	1
100380	26	0	6	8	56	130	0	0	0	1
100381	26	0	6	7	49	113	0	0	0	1

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
100382	26	0	5	6	45	104	0	0	0	1
100383	26	0	6	7	50	116	0	0	0	1
100384	26	0	5	5	40	93	0	0	0	0
100385	26	0	5	6	47	109	0	0	0	1
100386	26	0	5	6	43	99	0	0	0	0
100387	26	0	6	7	53	121	0	0	0	1
100388	26	0	5	6	41	94	0	0	0	0
110425	134	18	240	285	2,085	4,812	6	7	53	122
110426	66	8	28	33	241	556	0	0	3	7
110427	115	16	21	25	181	418	0	1	4	9
110428	102	13	7	8	59	137	0	0	1	3
110429	121	13	8	9	66	152	0	0	2	3
110435	14	6	9	10	76	176	0	0	0	0
110437	14	6	8	9	69	159	0	0	0	0
110439	14	6	7	9	63	145	0	0	0	0
110441	14	6	7	8	58	133	0	0	0	0
110443	14	6	6	8	55	127	0	0	0	0
110445	15	6	8	9	66	152	0	0	0	0
110447	15	6	8	10	70	160	0	0	0	0
110449	15	6	8	10	70	160	0	0	0	0
110451	15	6	8	9	67	154	0	0	0	0
110453	13	6	8	9	65	151	0	0	0	0
110455	18	7	9	10	76	176	0	0	0	1
110457	13	6	6	8	55	127	0	0	0	0
110459	12	6	8	9	66	152	0	0	0	0
110461	16	6	8	9	67	155	0	0	0	0

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
110463	15	6	7	9	64	149	0	0	0	0
110465	16	6	8	9	65	150	0	0	0	0
110467	16	6	8	9	66	152	0	0	0	0
110469	21	6	8	9	66	152	0	0	0	1
110471	17	6	8	9	65	150	0	0	0	0
110473	19	7	8	9	69	159	0	0	0	1
110475	16	6	8	9	66	152	0	0	0	0
110477	16	6	7	9	63	145	0	0	0	0
110479	16	6	7	8	61	142	0	0	0	0
110481	16	6	7	9	64	149	0	0	0	0
110483	16	6	6	8	56	130	0	0	0	0
110485	17	6	7	8	60	138	0	0	0	0
110487	17	6	7	8	58	133	0	0	0	0
110489	13	7	9	10	75	172	0	0	0	0
110491	15	7	7	9	64	147	0	0	0	0
110493	15	6	6	8	56	128	0	0	0	0
110495	15	7	7	9	63	145	0	0	0	0
110497	15	7	8	10	72	165	0	0	0	0
110499	13	7	7	8	59	135	0	0	0	0
110501	12	7	7	8	59	137	0	0	0	0
110503	15	7	5	6	46	106	0	0	0	0
110505	13	7	7	8	61	140	0	0	0	0
110507	13	7	6	7	51	118	0	0	0	0
110509	17	7	6	7	53	123	0	0	0	0
110511	17	7	5	6	45	103	0	0	0	0
110513	13	7	5	6	41	95	0	0	0	0

Table H-11 2024 Existing Conditions: Airport-Related Traffic, On-Airport Link Attributes, Traffic Assignment and Vehicle Miles Traveled (VMT) Summary

Link	Link	PM Link	Volume				VMT			
Name	Distance (ft)	Speed (mph)	AM Peak	PM Peak	High 8-Hour	AWDT	AM Peak	PM Peak	High 8-Hour	AWDT
110515	13	7	6	8	56	130	0	0	0	0
110517	13	7	6	7	49	113	0	0	0	0
110519	21	7	6	7	50	116	0	0	0	0
110521	13	7	6	7	49	113	0	0	0	0
110523	19	8	5	6	46	106	0	0	0	0
110525	11	7	6	7	49	113	0	0	0	0
110527	13	7	6	7	53	122	0	0	0	0
110529	13	8	5	7	48	110	0	0	0	0
110531	17	8	5	6	43	100	0	0	0	0
110533	30	8	5	6	47	108	0	0	0	1
110535	21	8	6	7	50	115	0	0	0	0
110537	13	7	5	6	45	103	0	0	0	0
110539	13	7	5	6	45	105	0	0	0	0
110541	20	8	5	7	48	110	0	0	0	0
110543	13	7	6	8	56	130	0	0	0	0
110545	13	7	6	7	49	113	0	0	0	0
110547	13	7	5	6	45	105	0	0	0	0
110549	17	8	6	7	51	117	0	0	0	0
110551	13	8	5	6	41	94	0	0	0	0
110553	22	7	5	7	48	110	0	0	0	0
110555	13	7	5	6	43	100	0	0	0	0
110557	13	7	6	7	53	122	0	0	0	0
110559	13	8	5	6	41	95	0	0	0	0
Logan Airport VMT							9,616	11,412	83,497	192,655

Source: Massport, 2025.

Notes:

AWDT Average weekday daily traffic

VMT Vehicle miles traveled

H.4 Existing Traffic Roadway Network

Figure H-1 Existing Traffic Roadway Network

