

## DMR Copy of Record

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 07/01/19 to 07/31/19	DMR Due Date:	08/15/19	Status:	NetDMR Validated

<b>Considerations for Form Completion</b>					
---	--	--	--	--	--

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

<b>No Data Indicator (NODI)</b>					
Form NODI:	--				

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.629	=	4.71	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.19				=	6.19			12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU	01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	<	5				<	5			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG		<=	100 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	15 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1			28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.11				=	0.11			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	4300				=	4300			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	20000				=	20000			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please find attached the July 2019 Monthly Sampling Report.

<b>Attachments</b>		
Name	Type	Size
July2019NPDESMonitoringReport.pdf	pdf	107572

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2019-08-08 11:41 (Time Zone: -04:00)

**Report Last Signed By**  
User: rjoycelsp

## DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

### Report Dates & Status

Monitoring Period:	From 07/01/19 to 07/31/19	DMR Due Date:	08/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	18			=	18	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.05			=	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	700			=	700	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	4000			=	4000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:21 (Time Zone: -04:00)

### Report Last Signed By

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:40 (Time Zone: -04:00)

# DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 07/01/19 to 07/31/19	DMR Due Date:	08/15/20
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	2.204	=	16.324	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.11	=	7.11	12 - SU						01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6 MINIMUM		<= 8.5 MAXIMUM	12 - SU						01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	16	=	16	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		<= 100 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					19 - mg/L						01/30 - Monthly	GR - GRAB	
					Permit Req.				<= 15 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1	<	1	28 - ug/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.13	=	0.13	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	20000	=	20000	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	5200	=	5200	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Value NODI													

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2019-08-08 11:42 (Time Zone: -04:00)

**Report Last Signed By**  
User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com

## DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry

### Report Dates & Status

Monitoring Period:	From 07/01/19 to 07/31/19	DMR Due Date:	08/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	16				=	16	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1				<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.05				=	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	630				=	630	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	9000				=	9000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:22 (Time Zone: -04:00)

### Report Last Signed By

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:40 (Time Zone: -04:00)

## DMR Copy of Record

Permit																				
Permit #:	MA0000787				Permittee:	MASSPORT AUTHORITY - LOGAN					Facility:	LOGAN INTERNATIONAL AIRPORT								
Major:	No				Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909					Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128								
Permitted Feature:	003 External Outfall				Discharge:	003-A PORTER ST OUTFALL - STORMWATER														
Report Dates & Status																				
Monitoring Period:	From 07/01/19 to 07/31/19				DMR Due Date:	08/15/19					Status:	NetDMR Validated								
Considerations for Form Completion																				
effective 5 months after 10-1-07.																				
Principal Executive Officer																				
First Name:					Title:						Telephone:									
Last Name:																				
No Data Indicator (NODI)																				
Form NODI:	--																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.479	=	3.617	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample =	6.35	=	6.99	12 - SU									01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6 MINIMUM	<=	8.5 MAXIMUM	12 - SU								01/30 - Monthly	GR - GRAB	
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample =	27	=	68	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample =	4	=	19	mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon DAILY MX		19 - mg/L										01/30 - Monthly	GR - GRAB	
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample =	1	=	1	28 - ug/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample =	0.113	=	0.17	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample =	4286	=	6700	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample =	422	=	3000	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
MASSPORT AUTHORITY - LOGAN																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			
Date/Time:	2019-08-08 12:02 (Time Zone: -04:00)																			
Report Last Signed By																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			

## DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

### Report Dates & Status

Monitoring Period:	From 07/01/19 to 07/31/19	DMR Due Date:	08/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	6.3			=	8.5	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					=				=	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					=	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.063			=	0.08	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	55			=	1700	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	42			=	730	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:38 (Time Zone: -04:00)

### Report Last Signed By

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:40 (Time Zone: -04:00)

## DMR Copy of Record

Permit																				
Permit #:	MA0000787				Permittee:	MASSPORT AUTHORITY - LOGAN					Facility:	LOGAN INTERNATIONAL AIRPORT								
Major:	No				Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909					Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128								
Permitted Feature:	004 External Outfall				Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER														
Report Dates & Status																				
Monitoring Period:	From 07/01/19 to 07/31/19				DMR Due Date:	08/15/19					Status:	NetDMR Validated								
Considerations for Form Completion																				
Principal Executive Officer																				
First Name:					Title:						Telephone:									
Last Name:																				
No Data Indicator (NODI)																				
Form NODI:	--																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.132	=	1.282	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample =	6.76	=	6.76	12 - SU								01/30 - Monthly	GR - GRAB		
					Permit Req.	>=	6 MINIMUM		<=	8.5 MAXIMUM	12 - SU						01/30 - Monthly	GR - GRAB		
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample =	6.8	=	6.8	19 - mg/L								01/30 - Monthly	GR - GRAB		
					Permit Req.	Req Mon MO AVG		<=	100 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB		
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample =				19 - mg/L								01/30 - Monthly	GR - GRAB		
					Permit Req.				<=	15 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB		
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample <	1	<	1	28 - ug/L								01/30 - Monthly	GR - GRAB		
					Permit Req.	Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB		
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample =	0.11	=	0.11	19 - mg/L								01/30 - Monthly	GR - GRAB		
					Permit Req.	Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB		
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample =	1600	=	1600	3Z - CFU/100mL								01/30 - Monthly	GR - GRAB		
					Permit Req.	Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB		
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample >	80000	>	80000	3Z - CFU/100mL								01/30 - Monthly	GR - GRAB		
					Permit Req.	Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB		
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
MASSPORT AUTHORITY - LOGAN																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			
Date/Time:	2019-08-08 11:44 (Time Zone: -04:00)																			
Report Last Signed By																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			

## DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

### Report Dates & Status

Monitoring Period:	From 07/01/19 to 07/31/19	DMR Due Date:	08/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	9.5			=	9.5	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.06			=	0.06	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	100			=	100	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	60			=	60	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:23 (Time Zone: -04:00)

### Report Last Signed By

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2019-08-08 13:40 (Time Zone: -04:00)